

# SKIS & BOOTS COLLECTION '17/'18

 **TECNICA**  
 **BLIZZARD**



RACE

HIGH PERFORMANCE

FREERIDE

TOURING

JR

MACH1



**R9.3 150**  
Cod: 10169000100  
Size: 3-10



**R9.3 130**  
Cod: 10169100100  
Size: 3-10



**R9.3 110**  
Cod: 10169200100  
Size: 3-10



**MACH1 R 130 LV**  
Cod: 10177000100  
Size: 3½-10½



**MACH1 R 110 LV**  
Cod: 10177100100  
Size: 3½-10½



**MACH1 R 90**  
Cod: 10169300100  
Size: 3½-8½



**MACH1 130 LV**  
Cod: 10177300P97  
Size: 5½-10½



**MACH1 120 LV**  
Cod: 10177400R17  
Size: 5½-10½



**MACH1 110 LV**  
Cod: 10177500100  
Size: 5½-10½



**MACH1 100 MV**  
Cod: 10178300201  
Size: 24.5 - 30.5



**MACH1 90 MV**  
Cod: 10178400201  
Size: 24.5 - 30.5



**MACH1 130 MV**  
Cod: 10178000P97  
Size: 24.5 - 30.5



**MACH1 120 MV**  
Cod: 10178100R17  
Size: 24.5 - 30.5



**MACH1 110 MV**  
Cod: 10178200100  
Size: 24.5 - 30.5



**MACH1 100 MV**  
Cod: 10178300201  
Size: 24.5 - 30.5



**MACH1 90 MV**  
Cod: 10178400201  
Size: 24.5 - 30.5



**MACH1 105 W LV**  
Cod: 20148100398  
Size: 3½-8½



**MACH1 95 W LV**  
Cod: 20148200100  
Size: 3½-8½



**MACH1 85 W LV**  
Cod: 20148330100  
Size: 3½-8½



**MACH1 95 W MV HEAT**  
Cod: 20148600100  
Size: 22.5 - 27.5



**MACH1 105 W MV**  
Cod: 20148700398  
Size: 22.5 - 27.5



**MACH1 95 W MV**  
Cod: 20148800869  
Size: 22.5 - 27.5



**COCHISE 130 DYN**  
Cod: 10174000P97  
Size: 22.5-30.5



**COCHISE 120 DYN**  
Cod: 10174100100  
Size: 22.5-30.5



**COCHISE 110**  
Cod: 10174200R17  
Size: 24.5-30.5



**COCHISE 100**  
Cod: 10174300201  
Size: 24.5-30.5



**COCHISE 80 HV**  
Cod: 10176100201  
Size: 24.5-30.5



**COCHISE TEAM**  
Cod: 10174900R17  
Size: 22.5-27.5



**COCHISE 105 W DYN**  
Cod: 20145000182  
Size: 22.5-27.5



**COCHISE 95 W**  
Cod: 20145100317  
Size: 22.5-27.5



**COCHISE 85 W**  
Cod: 20145200100  
Size: 22.5-27.5



**COCHISE 75 W HV**  
Cod: 20147100101  
Size: 22.5-27.5



**ZERO G GUIDE PRO**  
Cod: 1017460199  
Size: 22.5-30.5



**ZERO G GUIDE**  
Cod: 10174700189  
Size: 24.5-30.5



**ZERO G GUIDE PRO W**  
Cod: 20145400101  
Size: 22.5-27.5



**ZERO G GUIDE W**  
Cod: 20145500055  
Size: 22.5-27.5

RACE



**R PRO 70**  
Cod: 30129200100  
Size: 18.5 - 27.5



**COCHISE JR**  
Cod: 30130000R17  
Size: 18.5 - 27.5



**JT 3 COCHISE**  
Cod: 30128210100  
Size: 20.5 - 26.5



**JT 1 COCHISE**  
Cod: 30128810100  
Size: 14.5 - 19.5



**JT 3 SHEEVA**  
Cod: 30130700183  
Size: 20.5 - 26.5



**JT 1 SHEEVA**  
Cod: 30131500183  
Size: 14.5 - 19.5



**R PRO 60**  
Cod: 3012930100  
Size: 18.5 - 27.5



**JT 4 COCHISE**  
Cod: 30130100100  
Size: 18.5 - 26.5



**JT 2 COCHISE**  
Cod: 30128510100  
Size: 16.5 - 23.5



**JT 1 COCHISE**  
Cod: 30128810100  
Size: 14.5 - 19.5



**JT 3 SHEEVA**  
Cod: 30130700183  
Size: 20.5 - 26.5



**JT 1 SHEEVA**  
Cod: 30131500183  
Size: 14.5 - 19.5

COCHISE



**R PRO 70**  
Cod: 30129200100  
Size: 18.5 - 27.5



**COCHISE JR**  
Cod: 30130000R17  
Size: 18.5 - 27.5



**JT 3 COCHISE**  
Cod: 30128210100  
Size: 20.5 - 26.5



**JT 1 COCHISE**  
Cod: 30128810100  
Size: 14.5 - 19.5



**JT 3 SHEEVA**  
Cod: 30130700183  
Size: 20.5 - 26.5



**JT 1 SHEEVA**  
Cod: 30131500183  
Size: 14.5 - 19.5

RACE



**R PRO 70**  
Cod: 30129200100  
Size: 18.5 - 27.5



**COCHISE JR**  
Cod: 30130000R17  
Size: 18.5 - 27.5



**JT 3 COCHISE**  
Cod: 30128210100  
Size: 20.5 - 26.5



**JT 1 COCHISE**  
Cod: 30128810100  
Size: 14.5 - 19.5



**JT 3 SHEEVA**  
Cod: 30130700183  
Size: 20.5 - 26.5



**JT 1 SHEEVA**  
Cod: 30131500183  
Size: 14.5 - 19.5

COCHISE



**R PRO 70**  
Cod: 30129200100  
Size: 18.5 - 27.5



**COCHISE JR**  
Cod: 30130000R17  
Size: 18.5 - 27.5



**JT 3 COCHISE**  
Cod: 30128210100  
Size: 20.5 - 26.5



**JT 1 COCHISE**  
Cod: 30128810100  
Size: 14.5 - 19.5



**JT 3 SHEEVA**  
Cod: 30130700183  
Size: 20.5 - 26.5



**JT 1 SHEEVA**  
Cod: 30131500183  
Size: 14.5 - 19.5

RACE



**R PRO 70**  
Cod: 30129200100  
Size: 18.5 - 27.5



**COCHISE JR**  
Cod: 30130000R17  
Size: 18.5 - 27.5



**JT 3 COCHISE**  
Cod: 30128210100  
Size: 20.5 - 26.5



**JT 1 COCHISE**  
Cod: 30128810100  
Size: 14.5 - 19.5



**JT 3 SHEEVA**  
Cod: 30130700183  
Size: 20.5 - 26.5



**JT 1 SHEEVA**  
Cod: 30131500183  
Size: 14.5 - 19.5

COCHISE



**R PRO 70**  
Cod: 30129200100  
Size: 18.5 - 27.5



**COCHISE JR**  
Cod: 30130000R17  
Size: 18.5 - 27.5



**JT 3 COCHISE**  
Cod: 30128210100  
Size: 20.5 - 26.5



**JT 1 COCHISE**  
Cod: 30128810100  
Size: 14.5 - 19.5



**JT 3 SHEEVA**  
Cod: 30130700183  
Size: 20.5 - 26.5



**JT 1 SHEEVA**  
Cod: 30131500183  
Size: 14.5 - 19.5

RACE



**R PRO 70**  
Cod: 30129200100  
Size: 18.5 - 27.5



**COCHISE JR**  
Cod: 30130000R17  
Size: 18.5 - 27.5



**JT 3 COCHISE**  
Cod: 30128210100  
Size: 20.5 - 26.5



**JT 1 COCHISE**  
Cod: 30128810100  
Size: 14.5 - 19.5



**JT 3 SHEEVA**  
Cod: 30130700183  
Size: 20.5 - 26.5



**JT 1 SHEEVA**  
Cod: 30131500183  
Size: 14.5 - 19.5

COCHISE



**R PRO 70**  
Cod: 30129200100  
Size: 18.5 - 27.5



**COCHISE JR**  
Cod: 30130000R17  
Size: 18.5 - 27.5



**JT 3 COCHISE**  
Cod: 30128210100  
Size: 20.5 - 26.5



**JT 1 COCHISE**  
Cod: 30128810100  
Size: 14.5 - 19.5



**JT 3 SHEEVA**  
Cod: 30130700183  
Size: 20.5 - 26.5



**JT 1 SHEEVA**  
Cod: 30131500183  
Size: 14.5 - 19.5

RACE



**R PRO 70**  
Cod: 30129200100  
Size: 18.5 - 27.5



**COCHISE JR**  
Cod: 30130000R17  
Size: 18.5 - 27.5



**JT 3 COCHISE**  
Cod: 30128210100  
Size: 20.5 - 26.5



**JT 1 COCHISE**  
Cod: 30128810100  
Size: 14.5 - 19.5



**JT 3 SHEEVA**  
Cod: 30130700183  
Size: 20.5 - 26.5



**JT 1 SHEEVA**  
Cod: 30131500183  
Size: 14.5 - 19.5

COCHISE



**R PRO 70**  
Cod: 30129200100  
Size: 18.5 - 27.5



**COCHISE JR**  
Cod: 30130000R17  
Size: 18.5 - 27.5



**JT 3 COCHISE**  
Cod: 30128210100  
Size: 20.5 - 26.5



**JT 1 COCHISE**  
Cod: 30128810100  
Size: 14.5 - 19.5



**JT 3 SHEEVA**  
Cod: 30130700183  
Size: 20.5 - 26.5



**JT 1 SHEEVA**  
Cod: 30131500183  
Size: 14.5 - 19.5

RACE





# RACE

Skiboos Collection 2017/18

TECNICA



## R9.3 150


Cod: 10169000 100

Size: 3-10

Color: BLACK

**Shell:** Polyether  
**Cuff:** Polyether  
**Footprint:** WC (grinding before use)  
**Liner:** WC with laces  
**Buckles:** 4 micro race WC screwed

**Spoiler:** Velcro Spoiler  
**Powerstrap:** 50mm power strap  
**Canting:** Double oversize canting screwed



## R9.3 130


Cod: 10169100 100

Size: 3-10

Color: BLACK

**Shell:** Polyether  
**Cuff:** Polyether  
**Footprint:** WC (grinding before use)  
**Liner:** WC with laces  
**Buckles:** 4 micro race WC screwed

**Spoiler:** Velcro Spoiler  
**Powerstrap:** 50mm power strap  
**Canting:** Double canting screwed



## R9.3 110


Cod: 10169200 100

Size: 3-10

Color: BLACK

**Shell:** Polyether  
**Cuff:** Polyether  
**Footprint:** WC (grinding before use)  
**Liner:** WC with laces  
**Buckles:** 4 micro race WC screwed

**Spoiler:** Velcro Spoiler  
**Powerstrap:** 50mm power strap  
**Canting:** Double canting screwed



## MACH1 R 130 LV


Cod: 10177000 100

Size: 3½-10½

Color: BLACK

**C.A.S.:** Liner & shell  
**Shell:** Polyether (quick instep)  
**Cuff:** Polyether  
**Footprint:** ISO 5355 bi-material  
**Liner:** C.A.S. ULTRAFIT PRO RACE  
C.A.S. Footbed

**Buckles:** 4 micro ALU screwed, Lift Lock  
**Spoiler:** Velcro Spoiler  
**Powerstrap:** 45mm Full Contact Strap  
**Canting:** Double oversize canting screwed



### TECHNOLOGIES



## MACH1 R 110 LV


Cod: 10177100 100

Size: 3½-10½

Color: BLACK

**C.A.S.:** Liner & shell  
**Shell:** Polyester (quick instep)  
**Cuff:** Polyolefine  
**Footprint:** ISO 5355 bi-material  
**Liner:** C.A.S. ULTRAFIT PRO RACE

**Buckles:** 4 micro ALU screwed, Lift Lock  
**Powerstrap:** 35mm power strap  
**Canting:** Double oversize canting screwed



### TECHNOLOGIES



## MACH1 R 90


Cod: 10169300 100

Size: 3½-8½

Color: BLACK

**C.A.S.:** Shell  
**Shell:** PU  
**Cuff:** PU JUNIOR cuff  
**Footprint:** ISO 5355 Adult norm  
**Liner:** ULTRAFIT NFS liner with Laces in the box

**Buckles:** 4 micro alu with Lift Lock  
**Powerstrap:** 35 mm strap with plate  
**Spoiler:** Velcro spoiler  
**Canting:** Double



### TECHNOLOGIES





# BOOTS COLLECTION 17/18

| TECNICA SKIBOOT 2017/18 | 7



LINER



## C.A.S. LINER TECHNOLOGY

限りなく足型に近い形状にカスタマイズ可能なインナー



C.A.S. LINER  
FEATURES

**C.A.S. ・**  
人体工学に基づく適切な形状・  
2層構造の熱成型可能マイクロセル素材

- 抜群のフィッティングを実現
- 敏感なパワー伝達性能
- 極めて型崩れにくい

C.A.S. LINER  
CUSTOMIZATION

### パンチング

- 足の当たる部分のボリュームUP

### グライディング

- 2mmの厚さまで削りだし可能

### プレ成型されたインナー

- 舟状骨、踵など、骨の当たりやすい部分のスペースを確保
- 熱成型により、ブーツ内の空間を全て埋める
- 足側へのフィットとシェル側へのフィット

SHELL



## C.A.S. SHELL TECHNOLOGY

限りなく足型に近い形状にカスタマイズ可能なシェル



C.A.S. SHELL  
FEATURES

### 人体工学に基づいた形状

### カスタマイズ

- シェルを簡単に、素早く温めることが可能
- より足型にあった形に加工が可能

C.A.S. SHELL  
CUSTOMIZATION

### パンチング

- フィッティングに問題のある箇所を温めてパンチングすることが可能

### グライディング

- フィッティングに問題のある箇所の削り出し加工が可能

## ULTRAFIT PRO RACE

ライナーは、様々な素材の組み合わせにより3種類のレイヤーを使用。密度や厚さのバリエーションを持たせることで、全てのレベルのスキーヤーに適切なフィット感を実現。



## QUADRAFIT

- 正確で敏感なフィット感
- マイクロファイバーライニング
- ラテックスによる保護
- 3D EVA素材製の足首周辺プロテクターパッドとタングの熱成型が可能

## ULTRAFIT PRO

- 正確で快適なフィット感
- 3D EVA素材製の足首周辺プロテクターパッドとタングの熱成型が可能

## ULTRAFIT

- 快適なフィット感
- 3D EVA素材製の足首周辺プロテクターパッドとタングの熱成型が可能



## TECNICA VOLUME CONCEPT

人体工学に基づく形状と適切なボリュームが最高のフィット感とパフォーマンスを提供します。適切なラッピングは操作性を向上させ、より安全性を高めます。

|           | ELV       | LV  | MVFR            | MVT            | MV     | HV   | HV+       |
|-----------|-----------|-----|-----------------|----------------|--------|------|-----------|
| VOLUME    | EXTRA LOW | LOW | MEDIUM FREERIDE | MEDIUM TOURING | MEDIUM | HIGH | HIGH PLUS |
| LAST (mm) | 93        | 98  | 99              | 99             | 100    | 102  | 104       |

## QUICK INSTEP

シェルの足の甲部周辺部に柔らかい素材を使用することで、ブーツの着脱が容易に。



## NEW MERINO LINER

全てのレディースモデルのインナーに、極めて柔らかく、快適な素材メリノウールを採用。寒い時に暖かく、暑い時には涼しい素材。






**MACH 130 LV** Cod: 10177300 P97  
Size: 5½-10½ Color: BRIGHT ORANGE

**C.A.S.:** Liner & shell  
**Shell:** Polyether (quick instep)  
**Cuff:** Polyether  
**Footprint:** ISO 5355 bi-material  
**Liner:** C.A.S. - ULTRAFIT PRO RACE C.A.S. footbed


**Buckles:** 4 micro ALU screwed buckles & catches LIFT LOCK  
**Spoiler:** Velcro Spoiler  
**Powerstrap:** 45mm Full Contact strap  
**Canting:** Double oversize canting screwed



**MACH 130 MV** Cod: 10178000 P97  
Size: 24.5-30.5 Color: BRIGHT ORANGE

**C.A.S.:** Liner & shell  
**Shell:** Polyether (quick instep)  
**Cuff:** Polyether - Rear spine with carbon insert  
**Footprint:** ISO 5355 bi-material  
**Liner:** C.A.S. - ULTRAFIT PRO C.A.S. footbed and instep tongue


**Buckles:** 4 micro ALU screwed buckles & catches LIFT LOCK  
**Spoiler:** Velcro Spoiler  
**Powerstrap:** 45mm Full Contact strap  
**Canting:** Double oversize canting screwed



**MACH 120 LV** Cod: 10177400 R17  
Size: 5½-10½ Color: PROCESS BLUE

**C.A.S.:** Liner & shell  
**Shell:** Polyester (quick instep)  
**Cuff:** Polyester  
**Footprint:** ISO 5355 bi-material  
**Liner:** C.A.S. - ULTRAFIT PRO RACE


**Buckles:** 4 micro ALU LIFT LOCK  
**Powerstrap:** 45mm strap  
**Canting:** Double oversize canting screwed



**MACH 120 MV** Cod:10178100 R17  
Size: 24.5-30.5 Color: PROCESS BLUE

**C.A.S.:** liner & shell  
**Shell:** Polyester (quick instep)  
**Cuff:** Polyester - Rear spine with fiber glass insert  
**Footprint:** ISO 5355 bi-material


**Liner:** C.A.S. - ULTRAFIT PRO  
**Buckles:** 4 micro ALU LIFT LOCK  
**Powerstrap:** 45mm strap  
**Canting:** Double oversize canting screwed



**MACH 110 LV** Cod: 10177500 100  
Size: 5½-10½ Color: BLACK

**C.A.S.:** Liner & shell  
**Shell:** Polyester (quick instep)  
**Cuff:** Polyolefine  
**Footprint:** ISO 5355 bi-material  
**Liner:** C.A.S. - ULTRAFIT PRO RACE  
**Buckles:** 4 micro ALU LIFT LOCK


**Powerstrap:** 35mm power strap  
**Canting:** Double oversize canting screwed



**MACH 110 MV** Cod: 10178200 100  
Size: 24.5-30.5 Color: BLACK

**C.A.S.:** Liner & shell  
**Shell:** Polyester (quick instep)  
**Cuff:** Polyolefine  
Rear spine with plastic insert  
**Footprint:** ISO 5355 bi-material


**Liner:** C.A.S. - ULTRAFIT  
**Buckles:** 4 micro ALU LIFT LOCK  
**Powerstrap:** 35mm power strap  
**Canting:** double oversize canting screwed



**MACH 100 MV** Cod: 10178300 201  
Size: 24.5-30.5 Color: ANTHRACITE

**C.A.S.:** Shell  
**Shell:** Polyester (quick instep)  
**Cuff:** Polyolefine Rear spine  
**Footprint:** ISO 5355  
**Liner:** N.F.S.-ULTRAFIT


**Buckles:** 4 micro alu easy adj. top cuff ratchet  
LIFT LOCK  
**Powerstrap:** 35mm power strap  
**Canting:** oversize double canting  
**Rental ready**



**MACH 90 MV** Cod: 10178400 201  
Size: 24.5-30.5 Color: ANTHRACITE

**C.A.S.:** Shell  
**Shell:** Polyester (quick instep)  
**Cuff:** Polyolefine Rear spine  
**Footprint:** ISO 5355  
**Liner:** ULTRAFIT

**Buckles:** 4 micro alu LIFT LOCK  
**Powerstrap:** 35mm power strap  
**Canting:** oversize double canting





## C.A.S. CUFF ADAPT

スキーブーツ選びにおいて女性の悩みの一つでもあった、カフ部の形成が可能になりました。別パーツを装着することでふくらはぎの細い女性にも対応。

### FEATURES

**THERMOFORMABLE**  
at 80° with Tecnica *CAS Thermoforming Carbon System*.

**NO MECHANISM**

**3D SHAPING**  
to follow the anatomy of the calf.

**BIG RANGE OF CUSTOMIZATION**

**10% UPPER CUFF VOLUME INCREASE**

**5% UPPER CUFF VOLUME DECREASE**

**DEDICATED COLLAR DESIGN**

**10% UPPER CUFF VOLUME +**

**5% UPPER CUFF VOLUME -**

### C.A.S. CUFF ADAPT CUSTOMIZATION: HOW TO?

#### C.A.S. THERMOFORMING CARBON SYSTEM

CAS THERMOFORMING CARBON SYSTEM でシェルカフ部を温め、その後ブーツに足を入れ数分でふくらはぎの形に形成可能。

#### TECHNICAL FEATURES

**FIBERCARBON  
HEATING SYSTEM**

**8 MIN AT 80° C - 176° F  
+2 2つ同時に熱形成が可能**

#### C.A.S. CUFF VOLUME REDUCER

CAS CUFF VOLUME REDUCER を取り付けることで、足の細い女性スキーヤーのポリウムをカバー。

**KIT INCLUDES  
SPECIFIC GLUE  
C.A.S. BI-DENSITY  
MATERIAL**



### MACH1 105 W LV

Cod: 20148100 398

Size: 3½-8½

Color: ICE

**C.A.S.:** Liner, Shell & Cuff Adapt  
**Shell:** Polyester (quick instep)  
**Cuff:** Polyolefine C.A.S. CUFF ADAPT  
**Footprint:** ISO 5355  
**Liner:** C.A.S., W ULTRAFIT PRO, Celliant,

Thermoforming Collar  
**Buckles:** 4 micro ALU  
LIFT LOCK  
**Cuff Adapt:** C.A.S. Cuff Adapt  
**Powerstrap:** 35mm strap  
**Canting:** double oversize canting

**FLEX LAST VOLUME**



#### TECHNOLOGIES



### MACH1 105 W MV

Cod: 20148700 398

Size: 22.5-27.5

Color: ICE

**C.A.S.:** Liner, Shell & Cuff Adapt  
**Shell:** Polyester (quick instep)  
**Cuff:** Polyolefine C.A.S. Cuff Adapt  
**Footprint:** ISO 5355  
**Liner:** C.A.S., W ULTRAFIT PRO, Celliant, Thermoforming Collar

**Buckles:** 4 micro ALU  
LIFT LOCK  
**Cuff Adapt:** C.A.S. Cuff Adapt  
**Powerstrap:** 35mm strap  
**Canting:** double oversize canting

**FLEX LAST VOLUME**



#### TECHNOLOGIES



### MACH1 95 W LV

Cod: 20148200 100

Size: 3½-8½

Color: BLACK

**C.A.S.:** Liner, Shell & Cuff Adapt  
**Shell:** Polyester (quick instep)  
**Cuff:** Polyolefine  
**Footprint:** ISO 5355  
**Liner:** C.A.S., W ULTRAFIT PRO, Celliant, Thermoforming Collar

**Buckles:** 4 micro ALU LIFT LOCK  
**Cuff Adapt:** C.A.S. Cuff Adapt  
**Powerstrap:** 35mm strap  
**Canting:** Double oversize canting

**FLEX LAST VOLUME**



#### TECHNOLOGIES



### MACH1 95 W MV

Cod: 20148800 869

Size: 22.5-27.5

Color: NIGHT BLACK

**C.A.S.:** Liner, Shell & Cuff Adapt  
**Shell:** Polyester (quick instep)  
**Cuff:** Polyolefine  
C.A.S. Cuff Adapt  
**Footprint:** ISO 5355  
**Liner:** C.A.S. W ULTRAFIT PRO

Celliant, Thermoforming Collar  
**Buckles:** 4 micro ALU  
LIFT LOCK  
**Cuff Adapt:** C.A.S. Cuff Adapt  
**Powerstrap:** 35mm strap  
**Canting:** Double oversize canting

**FLEX LAST VOLUME**



#### TECHNOLOGIES



### MACH1 85 W LV

Cod: 20148300 100

Size: 3½-8½

Color: BLACK

**C.A.S.:** Shell  
**Shell:** Polyester (quick instep)  
**Cuff:** Polyolefine  
**Footprint:** ISO 5355  
**Liner:** W ULTRAFIT Thermoforming Collar

**Buckles:** 4 micro ALU  
LIFT LOCK  
**Powerstrap:** 35mm strap  
**Canting:** Double oversize canting

**FLEX LAST VOLUME**



#### TECHNOLOGIES



THERM-IC

#### Heating element



#### Control unit-double button



#### Batteries



#### USB wall charger



### MACH1 95 W MV HEAT

Cod: 20148600 100

Size: 220-275

**C.A.S.:** Liner & shell  
**Shell:** Polyester (quick instep)  
**Cuff:** Polyolefine  
**Footprint:** ISO 5355  
bi-material  
**Liner:** C.A.S., W ULTRAFIT PRO

with the Therm-ic Heating Technology  
**Buckles:** 4 micro ALU  
LIFT LOCK  
**Powerstrap:** 35mm strap  
**Canting:** double oversize canting  
screwed

**FLEX LAST VOLUME**



#### TECHNOLOGIES



THERM-IC



# COCHISE

CONQUER YOUR MOUNTAIN



## POWER LIGHT DESIGN

従来のものよりも30%薄く、2.5倍強度の強いポリエチレンフレームを採用

**30%** THINNER **2.5X** STIFFER



THE **LIGHTEST**  
4 BUCKLES POLYETHER SKIBOOT EVER MADE



### 1. MOBILITY CUFF

- 可動域 42度



### 2. LIFT LOCK BUCKLES

- 極めて軽量なアルミを使用
- バックルを上げた状態に保てるリフトロック構造
- 動きに幅広く対応可能なカフ部のフック



### 3. LOW TECH INSERT

- DYNテックビンディング対応
- アルペンビンディング対応ソール (ISO 5355)
- ツアービンディング対応の別売ツアー用ソール (ISO9523)に交換可能



### 5. C.A.S. LINER

### 4. AQUA STOP WATER PROTECTION

- 2重構造で水の浸入をガード



### 6. C.A.S. SHELL

- アナトミカルフィットシェル
- すぐにブーツが温まり、素早く成型可能
- ブーツフィッターがチューンナップしやすい素材、形状\* P2参照



## COCHISE 130 DYN

Cod: 10174000 P97

Size: 22.5-30.5

Color: BRIGHT ORANGE

**C.A.S.:** Liner & shell  
**Shell:** Bi-material Polyether/ Polyester  
**Cuff:** Bi-material Polyether/ Polyether  
**Footprint:** Alpine with low tech rubber toe & heel  
**Mobility Cuff:** NEW Self Adjusting System

**Liner:** ULTRAFIT PRO CAS liner, adj tongue  
**Buckles:** 4 micro full ALU screwed with Lift Lock  
**Ratchets:** All screwed double hook on the cuff  
**Spoiler:** Velcro spoiler  
**Powerstrap:** 45mm

FLEX

130

LAST

99

VOLUME

MVFR

### TECHNOLOGIES



## COCHISE 120 DYN

Cod: 10174100 100

Size: 22.5-30.5

Color: BLACK

**C.A.S.:** Liner & shell  
**Shell:** Bi-material Polyether/ Polyester  
**Cuff:** Bi-material Triax 3.0  
**Footprint:** Alpine bi-material with low tech  
**Mobility Cuff:** NEW Self Adjusting System

**Liner:** ULTRAFIT PRO CAS liner, adj tongue  
**Buckles:** 4 micro full ALU screwed with Lift Lock  
**Ratchets:** All screwed double hook on the cuff  
**Powerstrap:** 45mm

FLEX

120

LAST

99

VOLUME

MVFR

### TECHNOLOGIES



## COCHISE 110

Cod: 10174200 R17

Size: 24.5-30.5

Color: PROCESS BLUE

**C.A.S.:** Liner & shell  
**Shell:** Bi-material Polyether/ Polyester  
**Cuff:** Bi-material Triax 3.0  
**Footprint:** ISO 5355  
**Mobility Cuff:** NEW Self Adjusting System

**Liner:** ULTRAFIT CAS liner  
**Buckles:** 4 micro ALU  
**Ratchets:** All screwed single hook on the cuff  
**Powerstrap:** 45mm

FLEX

110

LAST

99

VOLUME

MVFR

### TECHNOLOGIES



## COCHISE 100

Cod: 10174300 201

Size: 24.5-30.5

Color: ANTHRACITE

**C.A.S.:** Shell  
**Shell:** Bi-material Polyether/ Polyester  
**Cuff:** Bi-material Triax 3.0  
**Footprint:** ISO 5355  
**Mobility Cuff:** NEW Self Adjusting System

**Liner:** ULTRAFIT liner CAS liner  
**Buckles:** 4 micro ALU  
**Ratchets:** All screwed single hook on the cuff  
**Powerstrap:** 35mm

FLEX

100

LAST

99

VOLUME

MVFR

### TECHNOLOGIES



## COCHISE 80 HV

Cod: 10176100 201

Size: 24.5-30.5

Color: ANTHRACITE

**Shell:** Polyolefine  
**Cuff:** "3 BUCKLES" Polyolefine  
**Footprint:** ISO 5355  
**Mobility Cuff:** YES  
**Liner:** ULTRAFIT  
**Buckles:** 3 micro ALU

**Ratchets:** 90 cuff ratchet  
**Powerstrap:** 45mm

FLEX

80

LAST

102

VOLUME

HV

### TECHNOLOGIES



## COCHISE 105 W DYN

Cod: 20145000 182

Size: 22.5-27.5

Color: COBALT BLUE

**C.A.S.:** Liner & shell  
**Shell:** Bi-material Polyether/ Polyester  
**Cuff:** Specific W profile bi-material Triax 3.0  
**Footprint:** Alpine, bi-material with low tech  
**Mobility Cuff:** NEW

self adjusting system  
**Liner:** ULTRAFIT PRO W CAS liner, Merino  
**Buckles:** 4 micro ALU  
**Ratchets:** All screwed double hook on the cuff  
**Powerstrap:** 45mm

FLEX

105

LAST

99

VOLUME

MVFR

### TECHNOLOGIES



## COCHISE 95 W

Cod: 20145100 317

Size: 22.5-27.5

Color: BLUE LAGOON

**C.A.S.:** Liner & shell  
**Shell:** Bi-material Polyether/ Polyester  
**Cuff:** Specific W profile bi-material Triax 3.0  
**Footprint:** ISO 5355  
**Mobility Cuff:** NEW

Self Adjusting System  
**Liner:** ULTRAFIT W CAS liner, Merino  
**Buckles:** 4 micro ALU  
**Ratchets:** all screwed single hook on the cuff  
**Powerstrap:** 45mm

FLEX

95

LAST

99

VOLUME

MVFR

### TECHNOLOGIES



## COCHISE 85 W

Cod: 20145200 100

Size: 22.5-27.5

Color: BLACK

**C.A.S.:** Shell  
**Shell:** Bi-material Polyether/ Polyester  
**Cuff:** Specific W profile bi-material Triax 3.0  
**Footprint:** ISO 5355  
**Mobility Cuff:** NEW

Self Adjusting System  
**Liner:** ULTRAFIT W liner, Merino  
**Buckles:** 4 micro ALU  
**Ratchets:** All screwed single hook on the cuff  
**Powerstrap:** 35mm

FLEX

85

LAST

99

VOLUME

MVFR

### TECHNOLOGIES



## COCHISE 75 W HV

Cod: 20147100 101

Size: 22.5-27.5

Color: WHITE

**Shell:** Polyolefine  
**Cuff:** "3 BUCKLES" Polyolefine  
**Footprint:** ISO 5355  
**Mobility Cuff:** YES

**Liner:** W ULTRAFIT, Merino  
**Buckles:** 3 micro ALU  
**Ratchets:** 90 cuff ratchet  
**Powerstrap:** 45mm

FLEX

75

LAST

102

VOLUME

HV

### TECHNOLOGIES



## COCHISE TEAM

Cod: 10174900 R17

Size: 22.5-27.5

Color: PROCESS BLUE

**C.A.S.:** Shell  
**Shell:** Bi-material Triax 3.0  
**Cuff:** Bi-material Triax 3.0 JUNIOR cuff  
**Footprint:** ISO 5355  
Adult norm

**Liner:** ULTRAFIT  
**Buckles:** 4 micro ALU  
**Velcro:** 45mm

FLEX

100

LAST

99

VOLUME

MVFR

### TECHNOLOGIES





## ONE BOOT ZERO LIMITS

DOWNHILL PERFORMANCE HAS NEVER FELT SO LIGHT



### POWER LIGHT DESIGN

従来のものよりも30%薄く、2.5倍強度の強いポリエチレンフレームを採用

**30%** THINNER **2.5X** STIFFER



#### 1. MOBILITY CUFF

- 可動域 44度



#### 4. LOW TECH INSERT

- DYNテックビンディング対応
- SKY WALK RUBBER (ISO 9523)
- アルペンビンディング対応の別売ソール (ISO 5355) に変更可能

#### 6. PALAU LINER 215g

\*On ZeroG Guide Pro only

- シューレース採用
- 腰のサポート&保護
- 歩行しやすい
- 熱成型可能
- 高い通気性



#### 3. ZERO G BUCKLES

- 極めて軽量なアルミを使用
- バックルを上げた状態に保てるリフトロック構造
- 動きに幅広く対応可能なカフ部のフック

#### 5. AQUA STOP WATER PROTECTION

- 2重構造で水の浸入をガード



#### 7. C.A.S. SHELL

- アナトミカルフィットシェル
- すぐにブーツが温まり、素早く成型可能
- ブーツフィッターがチューンナップしやすい素材、形状



### ZERO G GUIDE PRO

Cod: 10174601 199

Size: 22.5-30.5

Color: BRIGHT YELLOW

**C.A.S.:** Shell

**Shell:** Bi-material Grilamid

**Cuff:** Bi-material TRIAX 3.0 with light Grid

**Footprint:** Touring with low tech SkyWalk, rubber toe & heel

**Mobility Cuff:** NEW-Self Adjusting System

**Liner:** ULTRALIGHT-PALAU with laces

**Buckles:** 4 micro full ALU

screwed with Lift Lock

**Spoiler:** Front spoiler in the box

**Ratchets:** All screwed double hook on the cuff

**Powerstrap:** 45mm

FLEX

130


LAST

99

VOLUME

MVT

### TECHNOLOGIES



### ZERO G GUIDE

Cod: 10174700 189

Size: 24.5-30.5

Color: BRIGHT GREEN

**C.A.S.:** Shell

**Shell:** Bi-material TRIAX 3.0

**Cuff:** Bi-material TRIAX 3.0

**Footprint:** Touring with low tech SkyWalk, rubber toe & heel

**Mobility Cuff:** NEW-Self Adjusting System

**Liner:** ULTRAFIT PRO LIGHT

**Buckles:** 4 micro ALU

**Ratchets:** All screwed double hook on the cuff

**Powerstrap:** 45mm

FLEX

110

LAST

99

VOLUME

MVT

### TECHNOLOGIES



### ZERO G GUIDE PRO W

Cod: 20145400 101

Size: 22.5-27.5

Color: WHITE

**C.A.S.:** Shell

**Shell:** Bi-material Grilamid

**Cuff:** Specific W profile bi-material TRIAX 3.0

**Footprint:** Touring with low tech SkyWalk, rubber toe & heel

**Mobility Cuff:** NEW-Self Adjusting System

**Liner:** ULTRAFIT PRO LIGHT

**Buckles:** 4 micro full ALU

screwed with lift lock

**Ratchets:** All screwed double hook on the cuff

**Spoiler:** Front spoiler in the box

**Powerstrap:** 45mm

FLEX

115


LAST

99

VOLUME

MVT

### TECHNOLOGIES



### ZERO G GUIDE W

Cod: 20145500 055

Size: 22.5-27.5

Color: BLUEBIRD

**C.A.S.:** Shell

**Shell:** Bi-material TRIAX 3.0

**Cuff:** Specific W profile bi-material TRIAX 3.0

**Footprint:** Touring with low tech SkyWalk, rubber toe & heel

**Mobility Cuff:** NEW-Self Adjusting System

**Liner:** ULTRAFIT PRO LIGHT

merino

**Buckles:** 4 micro ALU

**Ratchets:** All screwed double hook on the cuff

**Powerstrap:** 45mm

FLEX

105


LAST

99

VOLUME

MVT

### TECHNOLOGIES





# JUNIOR

Skiboos Collection 2017/18

## TECNICA



### R PRO 70

Size: 18.5-27.5

Cod: 30129200 100

Color: BLACK

FLEX

70

**Shell:** Polyester  
**Cuff:** Polyolefine  
**Footprint:** ISO 5355  
Children norm: 180-215  
Adult norm: 220-275

**Liner:** JUNIOR PRO  
**Buckles:** 4 micro alu  
**Velcro:** 30 mm strap  
**Spoiler:** Velcro spoiler  
**Canting:** Double



### R PRO 60

Size: 18.5-27.5

Cod: 30129300 100

Color: BLACK

FLEX

60

**Shell:** Polyolefine  
**Cuff:** Polyolefine  
**Footprint:** ISO 5355  
Children norm: 180-215  
Adult norm: 220-275

**Liner:** JUNIOR PRO  
**Buckles:** 4 micro plastic  
with ring  
**Velcro:** 25mm strap



### COCHISE JR

Size: 18.5-27.5

Cod: 30130000 R17

Color: PROCESS BLUE

FLEX

60

**Shell:** Polyolefine  
**Cuff:** Polyolefine  
**Footprint:** ISO 5355  
Children norm: 180-215  
Adult norm: 220-275

**Liner:** JUNIOR PRO  
**Buckles:** 4 micro plastic  
with ring  
**Velcro:** 25mm strap



### JT 4 COCHISE

Size: 18.5-26.5

Cod: 301301001 00

Color: BLACK

**Shell:** Polyolefine  
**Cuff:** Polyolefine  
**Footprint:** ISO 5355  
Children norm: 180-215 Adult norm: 220-265  
**Liner:** JUNIOR PRO  
**Buckles:** 4 plastic with ring



### JT 3 COCHISE

Size: 20.5-26.5

Cod: 30128210 100

Color: BLACK

**Shell:** Polyolefine  
**Cuff:** Polyolefine  
**Footprint:** sizes 200-215: ISO 5355 Children norm  
sizes 220-265: ISO 5355 Adult norm  
**Liner:** JUNIOR  
**Buckles:** 3 plastic buckles



### JT 2 COCHISE

Size: 16.5-23.5

Cod: 301285101 00

Color: BLACK

**Shell:** Polyolefine  
**Cuff:** Polyolefine  
**Footprint:** sizes 160-215: ISO 5355 Children norm  
sizes 220-235: ISO 5355 Adult norm  
**Liner:** JUNIOR  
**Buckles:** Sizes 200-235: 2 plastic buckles  
sizes 160-195: 1 plastic buckle + 1 ratchet buckle



### JT 1 COCHISE

Size: 14.5-19.5

Cod: 30128810 100

Color: BLACK

**Shell:** Polyolefine  
**Cuff:** Polyolefine  
**Footprint:** ISO 5355 Children norm  
**Liner:** JUNIOR  
**Buckles:** 1 ratchet buckle



### JT 3 SHEEVA

Size: 20.5-26.5

Cod: 30130700 183

Color: WHITE-BLUE

**Shell:** Polyolefine  
**Cuff:** Polyolefine  
**Footprint:** Sizes 200-215: ISO 5355 Children norm  
sizes 220-265: ISO 5355 Adult norm  
**Liner:** JUNIOR  
**Buckles:** 3 plastic buckles



### JT 2 SHEEVA

Size: 16.5-23.5

Cod: 30131100 183

Color: WHITE-BLUE

**Shell:** Polyolefine  
**Cuff:** Polyolefine  
**Footprint:** Sizes 160-215: ISO 5355 Children norm  
sizes 220-235: ISO 5355 Adult norm  
**Liner:** JUNIOR  
**Buckles:** Sizes 200-235: 2 plastic buckles  
sizes 160-195: 1 plastic buckle + 1 ratchet buckle



### JT 1 SHEEVA

Size: 14.5-19.5

Cod: 30131500 183

Color: WHITE-BLUE

**Shell:** Polyolefine  
**Cuff:** Polyolefine  
**Footprint:** ISO 5355 Children norm  
**Liner:** JUNIOR  
**Buckles:** 1 ratchet buckle  
**Velcro:** 25mm strap



RACE

FIS RACE



GS FIS-RACE DEPT Cod: 8A7006 00 001

NEW



SL FIS-RACING Cod: 8A7016 00 001

RACE



GS FIS-RACING Cod: 8A6015 00 001

NEW



SRC RACING WC-PISTON Cod: 8A7020 00 001



WRC RACING WC-PISTON Cod: 8A6019 00 001



WRC Cod: 8A6021 00 001



SRC Cod: 8A6023 00 001

NEW



RC Ti Cod: 8A7026 00 001

NEW



RC Ca Cod: 8A7028 00 001



RC Ca Cod: 8A6027 00 001

RACE JR



GS RACING Cod: 8A6029 00 001



SL RACING Cod: 8A6031 00 001



GS JR-RACING Cod: 8A6033 00 001



SL JR-RACING Cod: 8A6035 00 001

PISTE/ALL MOUNTAIN

BLIZZARD QUATTRO



BLIZZARD QUATTRO RS Cod: 8A6045 00 001



BLIZZARD QUATTRO RX Cod: 8A6047 00 001



BLIZZARD QUATTRO 6.9 Ti Cod: 8A6049 00 001

NEW



BLIZZARD QUATTRO 7.4 Ti Cod: 8A6051 00 002

NEW



BLIZZARD QUATTRO 8.0 Ti Cod: 8A6059 00 002



BLIZZARD QUATTRO 7.4 Ca Cod: 8A6053 00 001



BLIZZARD QUATTRO 8.0 Ca Cod: 8A6061 00 001

ALIGHT

NEW



ALIGHT 6.9 Ti Cod: 8A7070 00 001

NEW



ALIGHT 7.4 Ti Cod: 8A7072 00 001

NEW



ALIGHT 7.4 Ca Cod: 8A7078 00 001

NEW



ALIGHT 7.2 Cod: 8A7400 00 001

FREERIDE

PROGRESSIVE

NEW



SPUR Cod: 8A7110 00 001

NEW



RUSTLER 11 Cod: 8A7112 00 001

NEW



RUSTLER 10 Cod: 8A7114 00 001

WOMEN PROGRESSIVE

NEW



SHEEVA 11 Cod: 8A7130 00 001

NEW



SHEEVA 10 Cod: 8A7132 00 001

TRADITIONAL

NEW



BODACIOUS Cod: 8A7090 00 001

NEW



COCHISE Cod: 8A7092 00 001

NEW



BONAFIDE Cod: 8A7094 00 001

NEW



BRAHMA Cod: 8A7096 00 001

NEW



BRAHMA Ca Cod: 8A7098 00 001

WOMEN TRADITIONAL

NEW



BLACK PEARL 98 Cod: 8A7134 00 001

NEW



BLACK PEARL 88 Cod: 8A7136 00 001

NEW



BLACK PEARL 78 Cod: 8A7138 00 001

TOURING

ZERO G



ZERO G 108 Cod: 8A6145 00 001



ZERO G 95 Cod: 8A6147 00 001



ZERO G 85 Cod: 8A6149 00 001



ZERO G 85 Cod: 8A6151 00 001



ZERO G 95 LTD Cod: 8A7154 00 001



ZERO G 85 LTD Cod: 8A7156 00 001

JUNIOR

RACE



RC JR Cod: 8A7162 00 001

PISTE/ALL MOUNTAIN

NEW



COCHISE IQ JR (70-150)+IQ4.5 Cod: 8A7168 00 001

COCHISE IQ JR (130-150)+IQ7 Cod: 8A7170 00 001

FREERIDE

NEW



COCHISE TEAM Cod: 8A7100 00 001

NEW



RUSTLER IQ JR (99-139)+IQ4.5 Cod: 8A7176 00 001

RUSTLER IQ JR (119-139)+IQ7 Cod: 8A7178 00 001





RYUNOSUKE OKOSHI  
Photo by shibu

## FIS RACE



**GS FIS-RACE DEPT**  
Cod: 8A7006 00 001  
Color: BLACK-ORANGE-BLUE

Lengths: 188-193 cm  
Sidecut: R&D  
Radius: >30,>30  
Binding: RACE XCELL 18/RACE XCELL 16 (PAGE 31)  
Plate: Marker WC Piston® Plate  
Construction: Sandwich Compound Sidewall; Wood, Titanium, FIS Racing Construction



**SL FIS-RACING**  
Cod: 8A7016 00 001  
Color: BLACK-ORANGE-BLUE

Lengths: 156-165 cm  
Sidecut: 116,5-65-101,5 mm (165 cm)  
Radius: >13; >13 m  
Binding: RACE XCELL 18/RACE XCELL 16 (PAGE 31)  
Plate: Marker WC Piston® Plate  
Construction: Sandwich Compound Sidewall; Wood, Titanium, FIS Racing Construction



## RACE



**GS FIS-RACING**  
Cod: 8A6015 00 001  
Color: BLACK-ORANGE-BLUE

Lengths: 184-188 cm      Sidecut: 102-65-87 mm (184 cm)  
Radius: >25; >27 m      Plate: Marker WC Piston® Plate  
Binding: RACE XCELL 18/RACE XCELL 16 (PAGE 31)  
Construction: Sandwich Compound Sidewall; Wood, Titanium, FIS Racing Construction



**WRC RACING WC PISTON**  
Cod: 8A6019 00 001  
Color: BLACK-ORANGE-BLUE

Lengths: 176-182-186 cm      Sidecut: 115-71-100 mm (182 cm)  
Radius: 18;19;20;21 m      Plate: Marker WC Piston® Plate  
Binding: RACE XCELL 16/RACE XCELL 12 (PAGE 31)  
Construction: Sandwich Compound Sidewall; Wood, Titanium



**WRC**  
Cod: 8A6021 00 001  
Color: BLACK-ORANGE-BLUE

Lengths: 167-172-176-182 cm      Sidecut: 115-71-99 mm (176 cm)  
Radius: 17;18;19;20 m  
Binding: XCELL14 DEMO (8C6003 F5 001)  
Construction: Sandwich Compound Sidewall; Wood, Titanium



**RC Ti**  
Cod: 8A7026 00 001  
Color: BLACK-ORANGE-BLUE

Lengths: 148-154-160-166-172-178 cm      Sidecut: 121-71-104 mm (172 cm)  
Radius: 11;12;13;13,5;14,5;15,5 m      Binding: TCX12 DEMO (8C6009 C1 001)  
Construction: Sandwich Compound Sidewall; Wood, Titanium, Racing Construction



**RC Ca**  
Cod: 8A7028 00 001  
Cod: 8A6027 00 001  
Color: BLACK-BLUE-ORANGE  
Color: ORANGE-BLACK-BLUE

Lengths: 148-154-160-166-172-178 cm      Sidecut: 121-71-104 mm (172 cm)  
Radius: 11; 12; 13; 13,5; 14,5; 15,5 m      Binding: TP10 DEMO (8C6011 B1 001)  
Construction: Sandwich Compound Sidewall, Wood



**SRC RACING WC PISTON**  
Cod: 8A7020 00 001  
Color: BLACK-ORANGE-BLUE

Lengths: 156-160-165-170-175 cm  
Sidecut: 121-70-106 mm (165 cm)  
Radius: 11;12;13;13,5;14 m  
Binding: RACE XCELL 16/RACE XCELL 12 (PAGE 31)  
Plate: Marker WC Piston® Plate  
Construction: Sandwich Compound Sidewall; Wood, Titanium, Racing Construction



**SRC**  
Cod: 8A6023 00 001  
Color: BLACK-ORANGE-BLUE

Lengths: 156-160-165-170-175 cm  
Sidecut: 121-70-106 mm (165 cm)  
Radius: 11;12;13;13,5;14 m  
Binding: XCELL14 DEMO (8C6003 F5 001)  
Construction: Sandwich Compound Sidewall; Wood, Titanium, Racing Construction



## RACE JR



**GS RACING**  
Cod: 8A6029 00 001  
Color: BLACK-ORANGE-BLUE

Lengths: 170-177-184 cm      Sidecut: 103,5-65-88,5 mm (177 cm)  
Radius: >17; >23; >25 m      Binding: RACE 12(PAGE 31)      Plate: Marker WC Piston® Plate  
Construction: Sandwich Compound Sidewall; Wood, Titanium



**SL RACING**  
Cod: 8A6031 00 001  
Color: BLACK-ORANGE-BLUE

Lengths: 150 cm      Sidecut: 113-65-98 mm (150 cm)  
Radius: >12 m      Binding: RACE 12(PAGE 31)      Plate: Marker WC Piston® Plate  
Construction: Sandwich Compound Sidewall; Wood, Titanium



**GS JR RACING**  
Cod: 8A6033 00 001  
Color: BLACK-ORANGE-BLUE

Lengths: 135-142-149-156-163-170 cm      Sidecut: 105-65-90 mm (163 cm)  
Radius: >14; >14; >14; >17; >17; >17 m      Binding: RACE 10/RACE 8 (PAGE31)  
Plate: Junior Racing Plate  
Construction: Sandwich Compound Sidewall; Wood, Titanium, Racing Construction



**SL JR RACING**  
Cod: 8A6035 00 001  
Color: BLACK-ORANGE-BLUE

Lengths: 122-129-136-143-150 cm      Sidecut: 109-64-94 mm (136 cm)  
Radius: >9; >9; >10; >10; >12 m      Binding: RACE 10/RACE 8 (PAGE31)  
Plate: Junior Racing Plate  
Construction: Sandwich Compound Sidewall; Wood, Titanium, Racing Construction






# PISTE/ALL MOUNTAIN

C O L L E C T I O N

## 究極のカービングスキー BLIZZARD QUATTRO

もう一度カービングの楽しさを体感してください



# BLIZZARD QUATTRO



### CONSTRUCTION

操作性と安定性を重視してブリザード独自のフルウッドコアサンドイッチ構造とサイドウォール構造。そしてIQテクノロジーを上級者向けにブレンドして誕生したQUATTROシリーズ。



#### IQ SW TI CARBON

新次元の安定性と板の走りとをたらずコンストラクション



#### IQ SW TI

あらゆるスピードにおいて優れた安定性と疲労感の少ない滑走を実現するコンストラクション



#### IQ SW CA

高い安定性と板の反発力を持ちながらも軽量で快適な滑走を実現するコンストラクション



### IQ SYSTEM

スキーとビンディングを完全に一体化させる唯一のテクノロジー「Blizzard IQ Technology」(特許) 優れた精密性と安定性をスキーヤーへ提供します。

- 自然なスキーのフレックス
- スキーに対してダイレクトなパワー伝達性能
- 軽量構造
- 衝撃吸収システム
- エッジ全体に均等な圧配分



#### FULL SUSPENSION

スキーコンストラクションにカーボンファイバーのストラクチャーを入れ、弾力のある衝撃吸収素材と一体化したシステム。滑走時の振動を抑制し、よりダイナミックでエッジグリップに優れた滑りが可能



#### SUSPENSION

スキーコンストラクションにポリアミドのストラクチャーを入れ弾力のある衝撃吸収素材と一体化したシステム。滑走時の振動を抑制し、より高いエッジグリップと疲労の少ない滑走が可能



### SHAPE

ブリザードクアトロは異なるサイドカット、センター幅、長さのチョイスにより、好みに応じた乗り味を可能にします。

#### NARROW WAISTED SKI (69-74MM)

- エッジトゥエッジの素早い切り替えが可能
- アイスバーンでの最高のエッジグリップ

#### WIDER WAISTED SKI (80-84MM)

- あらゆるコンディションでの安定性
- より大きな内傾角度

#### LONGER SKI SIZES (>170CM)

- 14~17Mのラディウス
- GSサイズのターン弧に最適な形状

#### SHORTER SKI SIZES (< 170CM)

- 10~13Mのラディウス
- ファンカービングのような乗り味



ロッカー形状の度合いは、最新のカービングスキーにおいて、機敏さと操作性の幅を決定づける重要な要素となります。

ブリザードクアトロにおけるロッカー形状では2ミリずつ変化をつけた形状を採用し、ユーザーのニーズに合わせた選択が可能となっています。



#### FULL CAMBER

アイスバーンでの滑走性や素早いエッジトゥエッジの滑りを好むスキーヤー向け



#### 2MM ROCKER

レーシングスキーのような滑走性を持ちながらも深雪での浮力や不整地での操作性も求めるスキーヤー向け



#### 4MM ROCKER

スキーをすらしたり、より楽で快適な滑走性を求めるスキーヤー向け




### BLIZZARD QUATTRO RS

Cod: 8A6045 00 001

Color: BLACK-ORANGE

Lengths: 153-160-167-174-181 cm  
Sidecut: 116-69-100 mm (174 cm)  
Radius: 10; 10,5; 12; 16; 17,5 m  
Binding: XCELL14 DEMO (8C6003 F5 001)  
Construction: Sandwich Compound Sidewall IQ; Wood, Titanium, Carbon




### BLIZZARD QUATTRO RX

Cod: 8A6047 00 001

Color: BLACK-ORANGE

Lengths: 167-174-181 cm  
Sidecut: 129-84-113 mm (174 cm)  
Radius: 14,5; 16; 17,5 m  
Binding: XCELL14 DEMO (8C6003 F5 001)  
Construction: Sandwich Compound Sidewall IQ; Wood, Titanium, Carbon



### BLIZZARD QUATTRO 6.9 Ti

Cod: 8A6049 00 001

Color: BLACK-LIME

Lengths: 153-160-167-174-181 cm  
Sidecut: 116-69-100 mm (174 cm)  
Radius: 10; 10,5; 12; 16; 17,5 m  
Binding: XCELL12 DEMO (8C6007 E1 001)  
Construction: Sandwich Compound Sidewall IQ; Wood, Titanium, Carbon



### BLIZZARD QUATTRO 7.4 Ti

Cod: 8A6051 00 002

Color: BLUE-YELLOW

Lengths: 150-156-162-168-174-180 cm  
Sidecut: 118-74-101 mm (174 cm)  
Radius: 11,5; 12,5; 13,5; 14,5; 16; 17,5 m  
Binding: TCX12 DEMO (8C6009 CA 001)  
Construction: Sandwich Compound Sidewall IQ; Wood, Titanium



### BLIZZARD QUATTRO 8.0 Ti

Cod: 8A6059 00 002

Color: BLUE-YELLOW

Lengths: 156-162-168-174-180 cm  
Sidecut: 125-80-108 mm (174 cm)  
Radius: 12,5; 13,5; 14,5; 16; 17,5 m  
Binding: TCX12 DEMO (8C6009 CA 001)  
Construction: Sandwich Compound Sidewall IQ; Wood, Titanium



### BLIZZARD QUATTRO 7.4 Ca

Cod: 8A6053 00 001

Color: ANTHRACITE/BLUE

Lengths: 150-156-162-168-174-180 cm  
Sidecut: 118-74-101 mm (174 cm)  
Radius: 11,5; 12,5; 13,5; 14,5; 16; 17,5 m  
Binding: TP10 DEMO (8C6011 B2 002)  
Construction: Sandwich Compound Sidewall IQ; Wood



### BLIZZARD QUATTRO 8.0 Ca

Cod: 8A6061 00 001

Color: ANTHRACITE/BLUE

Lengths: 156-162-168-174-180 cm  
Sidecut: 125-80-108 mm (174 cm)  
Radius: 12,5; 13,5; 14,5; 16; 17,5 m  
Binding: TP10 DEMO (8C6011 B2 002)  
Construction: Sandwich Compound Sidewall IQ; Wood





# FREERIDE


## COLLECTION

### PROGRESSIVE

#### CONSTRUCTION / TECHNOLOGY

##### D.R.Technology:


- ・特殊形状のチタンプレートを内蔵
- ・トップとテール部のトーションを柔らかく設定
- ・足元の抜群の安定性と高い操作性
- ・板のサイズ、長さ毎に心材をカットシレス加工



##### CARBON FLIPCORE D.R.T. Dynamic Release Technology

- ・パウダーでのスムーズなターン始動を実現するため、トップとテールのトーションを柔らかくなるようプレートを設定
- ・カーボン素材による軽量化
- ・高い浮力性と操作性
- ・柔らかい雪での回転性の向上

#### ROCKER CONCEPT



##### Camber Profile

- ・軽度のキャンパー構造
- ・コンパクトスノーでの高いグリップ性

##### Rocker Profile

- ・やや長めのロッカー
- ・容易なスライド
- ・ゆるやかな板の反応
- ・柔らかい雪での回転性の向上

### TRADITIONAL


#### CONSTRUCTION / TECHNOLOGY

##### CARBON FLIPCORE WITH DOUBLE TITANAL®:


- ・ダブルチタン構造による抜群の安定性と力強いグリップ力

##### MULTI-DIRECTIONAL CARBON TIP AND TAIL:

- ・スウィングウェイトの軽減
- ・高い振動吸収性
- ・精密な操作性



#### ROCKER CONCEPT



##### Camber Profile

- ・長めのキャンパー構造
- ・コンパクトスノーでの抜群のグリップ力
- ・素早いエッジの切り替えが可能

##### Rocker Profile

- ・やや短めのロッカー形状
- ・精密なコントロール性
- ・カービングターンが可能
- ・柔らかい雪での確実な回転性

### TRADITIONAL

#### LIMITED MODEL



##### BODACIOUS

Cod: 8A7090 00 001

Color: BLACK

**Lengths:** 186-196 cm  
**Weight:** 2,500g (186 cm)  
**Sidecut:** 142-118-132 mm (186 cm)  
**Radius:** 30,3; 31 m  
**Construction:** Sandwich Compound Sidewall; Poplar-Beech Woodcore, Double Ti



### PROGRESSIVE

#### LIMITED MODEL



##### SPUR

Cod: 8A7110 00 001

Color: BLACK

**Lengths:** 192 cm  
**Weight:** 2,200g (192 cm)  
**Sidecut:** 144-124-133 mm  
**Radius:** 26/30 m  
**Construction:** Sandwich Compound Sidewall; ISO-Pauwlonia-Balsa-Poplar-Beech Woodcore, D.R.T. Tech.



##### RUSTLER 11

Cod: 8A7112 00 001

Color: GREEN

**Lengths:** 164-172-180-188-192 cm  
**Weight:** 2,100g (188 cm)  
**Sidecut:** 142-114-132 mm (188 cm)  
**Radius:** 16; 17,5; 19; 21; 23 m  
**Construction:** Sandwich Compound Sidewall; ISO-Pauwlonia-Balsa-Poplar-Beech Woodcore, D.R.T. Tech.



##### RUSTLER 10

Cod: 8A7114 00 001

Color: PETROL

**Lengths:** 164-172-180-188 cm  
**Weight:** 1,820g (180 cm)  
**Sidecut:** 133-102-122,5 mm (180 cm)  
**Radius:** 14,5; 16; 17,5; 19 m  
**Construction:** Sandwich Compound Sidewall; ISO-Pauwlonia-Balsa-Poplar-Beech Woodcore, D.R.T. Tech.



##### COCHISE

Cod: 8A7092 00 001

Color: ORANGE

**Lengths:** 171-178-185-192 cm  
**Weight:** 2,320g (185 cm)  
**Sidecut:** 136-108-122 mm (185 cm)  
**Radius:** 23; 25; 27; 29 m  
**Construction:** Sandwich Compound Sidewall; Poplar-Beech Woodcore, Double Ti, Carbon



##### BONAFIDE

Cod: 8A7094 00 001

Color: RED

**Lengths:** 166-173-180-187 cm  
**Weight:** 2,150g (180 cm)  
**Sidecut:** 135-98-119 mm (180 cm)  
**Radius:** 15; 16,5; 18; 20 m  
**Construction:** Sandwich Compound Sidewall; Poplar-Beech Woodcore, Double Ti, Carbon + Ti Binding Interface



##### BRAHMA

Cod: 8A7096 00 001

Color: BLACK

**Lengths:** 166-173-180-187 cm  
**Weight:** 1,940g (173 cm)  
**Sidecut:** 127-88-111 mm (180 cm)  
**Radius:** 14; 15,5; 17; 19 m  
**Construction:** Sandwich Compound Sidewall; Poplar-Beech Woodcore, Double Ti, Carbon + Ti Binding Interface



##### BRAHMA Ca

Cod: 8A7098 00 001

Color: GREY

**Lengths:** 166-173-180-187 cm  
**Weight:** 1,680g (180 cm)  
**Sidecut:** 127-88-111 mm (180 cm)  
**Radius:** 14; 15,5; 17; 19 m  
**Construction:** Sandwich Compound Sidewall; Poplar-Beech Woodcore, Carbon Drive Tech.





# TOURING

## C O L L E C T I O N



### CARBON DRIVE

超軽量構造でカーボン素材を組み上げたテクノロジー。  
独自の3D幾何学構造がフレックスとトーションの強度を高めてくれます。  
その結果、マウンテニアリングスキーの世界では前代未聞の安定感と操作性を持つスキーとなりました。



### POMOCA TECH

POMOCA製スキン

ベルベット: RACE PRO

メンブレン: SAFER SKIN LIGHT

接着剤: POMOCA FORMULA

チップ固定金具: UNIVERSAL STEEL WIRE

テール固定金具: UNIVERSAL TAIL CLIP



### PINTECH BINDING

性能: 他に類を見ないパワー伝達性能

快適さ/扱いやすさ: 独自の快適性と容易な取り扱い性能

プロテクション: ISO 適合の最初のピンテックピンディング  
(DIN ISO 13992:2007)



### SKIS

**ZERO G 108**: ラッセルで移動しファーストラックを滑走する志向が強いスキーヤー

**ZERO G 95**: ハイックアップも滑走も重視するスキーヤー

**ZERO G 85**: 80MMオーバーのウェストを持つ軽量ツアースキーを求めるスキーヤー

|            | 157           | 164            | 171            | 178            | 185            |
|------------|---------------|----------------|----------------|----------------|----------------|
| ZERO G 108 | -             | -              | 1540<br>(+50g) | 1650<br>(+50g) | 1750<br>(+50g) |
| ZERO G 95  | -             | 1070<br>(+50g) | 1150<br>(+50g) | 1250<br>(+50g) | 1330<br>(+50g) |
| ZERO G 85  | 945<br>(+50g) | 1015<br>(+50g) | 1090<br>(+50g) | 1175<br>(+50g) | 1255<br>(+50g) |



#### ZERO G 108

Cod: 8A6145 00 001

Color: BLACK-ORANGE

**Lengths:** 171-178-185-192 cm  
**Sidecut:** 136-108-122 mm (185 cm)  
**Radius:** 23; 25; 27; 29 m  
**Weight:** 1,550g +/- 50g (171 cm); 0,80g/cm²  
**Construction:** Sandwich Compound Sidewall; Carbon Drive Technology



#### ZERO G 95

Cod: 8A6147 00 001

Color: GREEN-YELLOW

**Lengths:** 164-171-178-185 cm  
**Sidecut:** 128-95-111,5 mm (178 cm)  
**Radius:** 18; 20; 21; 22 m  
**Weight:** 1,190g +/- 50g (171 cm); 0,68g/cm²  
**Construction:** Sandwich Compound Sidewall; Carbon Drive Technology



#### ZERO G 85

Cod: 8A6149 00 001

Color: YELLOW-GREEN

**Lengths:** 157-164-171-178-185 cm  
**Sidecut:** 116-85-99,5 mm (171 cm)  
**Radius:** 16; 18; 19; 20; 22 m  
**Weight:** 1,050g +/- 50g (164 cm); 0,69g/cm²  
**Construction:** Sandwich Compound Sidewall; Carbon Drive Technology



#### ZERO G 85

Cod: 8A6151 00 001

Color: TURQUOISE-WHITE

**Lengths:** 157-164-171-178-185 cm  
**Sidecut:** 116-85-99,5 mm (171 cm)  
**Radius:** 16; 18; 19; 20; 22 m  
**Weight:** 1,050g +/- 50g (164 cm); 0,69g/cm²  
**Construction:** Sandwich Compound Sidewall; Carbon Drive Technology



#### ZERO G 95 LTD

Cod: 8A7154 00 001

Color: ORANGE-YELLOW

**Lengths:** 164-171-178-185 cm  
**Sidecut:** 128-95-111,5 mm (178 cm)  
**Radius:** 21 m (178 cm)  
**Weight:** 1,150g +/- 50g (171 cm); 0,66g/cm²  
**Construction:** Sandwich Compound Sidewall; Carbon Drive Technology



#### ZERO G 85 LTD

Cod: 8A7156 00 001

Color: BLUE-YELLOW

**Lengths:** 157-164-171-178-185 cm  
**Sidecut:** 116-85-99,5 mm (171 cm)  
**Radius:** 19 m (171 cm)  
**Weight:** 1,015g +/- 50g (164 cm); 0,66g/cm²  
**Construction:** Sandwich Compound Sidewall; Carbon Drive Technology





# W<sup>2</sup>

women to women



**BLIZZARD W2W** ラインは、女性のニーズに最大限応えるため、  
全て女性のチームにより開発された、女性のためのスキーシリーズです。

## WOMAN NEEDS

軽量

操作性


パフォーマンス  
(スキーの性能)

## BENEFITS

持ち運び簡単  
気軽にスキーへ

滑走中の安定感  
容易な操作性

簡単にターンが可能



### Carbon Flipcore W.S.D.

Poplar (ポプラ)を心材に使用  
→ 軽量化



### W.S.D. Mounting Position

通常より5mm前方へ  
ビンディングを取り付け  
→ 操作性UP

## PISTE/ALL MOUNTAIN ALIGHT




### ALIGHT 6.9 Ti

Cod: 8A7070 00 001

Color: BLACK

Lengths: 153-160-167 cm  
Sidecut: 122-69-106 mm (160 cm)  
Radius: 10; 10,5; 12 m  
Binding: TCX 12 DEMO W (8C6013 CB 001)  
Construction: Sandwich Compound Sidewall IQ; Wood, Titanium, Carbon




### ALIGHT 7.4 Ti

Cod: 8A7072 00 001

Color: BLACK-SILVER

Lengths: 144-150-156-162 cm  
Sidecut: 117-74-100 mm (162 cm)  
Radius: 10,5; 11,5; 12,5; 13,5 m  
Binding: TCX 12 DEMO W (8C6013 CB 001)  
Construction: Sandwich Compound Sidewall IQ; Wood, Titanium




### ALIGHT 7.4 Ca

Cod: 8A7078 00 001

Color: BLACK-BRONZE

Lengths: 144-150-156-162 cm  
Sidecut: 117-74-100 mm (162 cm)  
Radius: 10,5; 11,5; 12,5; 13,5 m  
Binding: TLX11 DEMO W (8C7006 LB 001)  
Construction: Sandwich Compound Sidewall IQ; Light Wood



### ALIGHT 7.2

Cod: 8A7400 00 001

Color: WHITE-ANTHRACITE

Lengths: 146-153-160-167 cm  
Sidecut: 119-72-102 mm (160 cm)  
Radius: 11; 12; 13; 14 m  
Binding: TP 10 DEMO W (8C6015 BC 001)  
Construction: Composite Sidewall IQ



## FREERIDE PROGRESSIVE



### SHEEVA 11

Cod: 8A7130 00 001

Color: GREY-GREEN

Lengths: 164-172-180 cm  
Weight: 1,840g (172 cm)  
Sidecut: 139-112-129 mm (172 cm)  
Radius: 16; 17,5; 19 m  
Construction: Sandwich Compound Sidewall; ISO-Paulownia-Balsa-Poplar-Beech Woodcore, D.R.T. Tech.



### SHEEVA 10

Cod: 8A7132 00 001

Color: GREEN-BLUE

Lengths: 156-164-172 cm  
Weight: 1,720g (172 cm)  
Sidecut: 131,5-102-121,5 mm (164 cm)  
Radius: 13; 14,5; 16 m  
Construction: Sandwich Compound Sidewall; ISO-Paulownia-Balsa-Poplar-Beech Woodcore, D.R.T. Tech.



## TRADITIONAL



### BLACK PEARL 98

Cod: 8A7134 00 001

Color: BLUE-LIGHT BLUE

Lengths: 152-159-166-173 cm  
Weight: 1,520g (166 cm)  
Sidecut: 135-98-119 mm (166 cm)  
Radius: 13; 14; 15; 16,5 m  
Construction: Sandwich Compound Sidewall; Carbon Flipcore W.S.D. Technology



### BLACK PEARL 88

Cod: 8A7136 00 001

Color: BLUE-PURPLE

Lengths: 152-159-166-173 cm  
Weight: 1,360g (163 cm)  
Sidecut: 126-88-110 mm (159 cm)  
Radius: 12; 13; 14; 15,5 m  
Construction: Sandwich Compound Sidewall; Carbon Flipcore W.S.D. Technology



### BLACK PEARL 78

Cod: 8A7138 00 001

Color: PURPLE-VIOLET

Lengths: 151-156-163-170 cm  
Weight: 1,360g (163 cm)  
Sidecut: 115-78-100 mm (156 cm)  
Radius: 13; 15; 16; 17 m  
Construction: Sandwich Compound Sidewall; Carbon Flipcore W.S.D. Technology





# JUNIOR


## COLLECTION



**RC JR**  
Cod: 8A7162 00 001

Color: ORANGE-BLACK-BLUE

**Lengths:** 130-140-150-160 cm  
**Sidecut:** 113-70-99 mm (140 cm)  
**Radius:** 11; 12; 13; 14 m  
**Binding:** FDT JR 7(8C7022 MA 001)  
**Construction:** Composite Sidewall



**COCHISE IQ JR**  
Cod: 8A7168 00 001 (70-150 cm)|Q4.5  
Cod: 8A7170 00 001 (130-150 cm)|Q7  
Color: BLUE-ORANGE

**Lengths:**  
70-80-90-100-110-120-130-140-150 cm (8A7168 00 001)  
130-140-150 cm (8A7170 00 001)  
**Sidecut:** 105-68-93 mm (110) (8A7168 00 001)  
107-68-95 mm (140) (8A7170 00 001)  
**Radius:** 3; 4; 5; 6; 7; 8; 9; 11; 13 m (8A7168 00 001)  
9; 11; 13 m (8A7170 00 001)  
**Binding:** IQ-4.5 (8C3120 H2 001)  
IQ-7 (8C3118 H1 001)  
**Construction:** Composite IQ



**RUSTLER IQ JR**  
Cod: 8A7176 00 001 (99-139 cm)|Q4.5  
Cod: 8A7178 00 001 (119-139 cm)|Q7  
Color: ORANGE-BLUE

**Lengths:**  
99-109-119-129-139 cm (8A7176 00 001)  
119-129-139 cm (8A7178 00 001)  
**Sidecut:** 102-70-90 mm (109 cm) (8A7176 00 001)  
104-70-92 mm (129 cm) (8A7178 00 001)  
**Radius:** 6; 7; 8; 9; 11 m (8A7176 00 001)  
8; 9; 11 m (8A7178 00 001)  
**Binding:** IQ-4.5 (8C3120 H2 001)  
IQ-7 (8C3118 H1 001)  
**Construction:** composite IQ



**COCHISE TEAM**  
Cod: 8A7100 00 001

Color: BLUE-ORANGE

**Lengths:** 140-150-160 cm  
**Sidecut:** 125-95-111 mm  
**Radius:** 13.5; 15; 16.5 m  
**Construction:** Sandwich Compound Sidewall;  
Poplar-Beech Woodcore  
**Weight:** 1,290g +/- 50g (150 cm)



### MARKER INLINE RACE



**RACE XCELL 24**  
Cod: 8C5028 00 001



**RACE XCELL 18**  
Cod: 8C5030 00 001



**RACE 10**  
Cod: 8C5034 00 001



**RACE 10 TCX**  
Cod: 8C7036 00 001

### MARKER INLINE



**MARKER DUKE EPF 16 L 305-365 - 110 mm**  
Cod: 8C4030 00 001



**MARKER BARON 13 L 305-365 - 110 mm**  
Cod: 8C5042 00 001



**MARKER JESTER 16 110 mm**  
Cod: 8C6031 00 001



**MARKER GRIFFON 13 110 mm**  
Cod: 8C6033 00 001



**MARKER DUKE EPF 16 S 265-325 - 110 mm**  
Cod: 8C4032 00 001



**MARKER BARON 13 S 265-325 - 110 mm**  
Cod: 8C5044 00 001



**MARKER JESTER 16 DEMO 110 mm**  
Cod: 8C4044 00 001



**MARKER GRIFFON 13 DEMO 110 mm**  
Cod: 8C6039 00 001



**MARKER SQUIRE 11 90 mm**  
Cod: 8C7032 00 001




**MARKER TOUR F12 EPF S 265-325 - 110 mm**  
Cod: 8C7040 00 001




**MARKER TOUR F10 EPF S 265-325 - 110 mm**  
Cod: 8C6047 00 001




**MARKER TOUR F12 EPF L 305-365 - 110 mm**  
Cod: 8C7042 00 001




**MARKER TOUR F10 EPF L 265-325 - 110 mm**  
Cod: 8C6049 00 001




**MARKER KING PIN 10 100 mm**  
Cod: 8C5050 00 001



**MARKER KING PIN 10 DEMO 100 mm**  
Cod: 8C5052 00 001




**MARKER KING PIN 13 100 mm**  
Cod: 8C5054 00 001



**MARKER KING PIN 13 125 mm**  
Cod: 8C5056 00 001



**CRAMPON KING PIN 100 mm**  
Cod: 8B5042 00 001



**CRAMPON KING PIN 125mm**  
Cod: 8B5044 00 001



**SKIN ZERO G 85 L (178-185)**  
Cod: 8B5010 00 001



**SKIN ZERO G 85 S (157-171)**  
Cod: 8B5012 00 001

**SKIN ZERO G 95 L (178-185)**  
Cod: 8B5014 00 001

**SKIN ZERO G 95 S (164-171)**  
Cod: 8B5016 00 001

**SKIN UP TILL 125MM**  
Cod: 8B5018 00 001

### SKI BOOTS ACC

#### COCHISE/ZERO G LOWTECH TOURING SOLES

Cod: 40390E 00 100  
• ISO 9523

#### COCHISE/ZERO G LOWTECH ALPINE SOLES

Cod: 40390D 00 849  
• ISO 5355

#### GRIP WALK SOLES MACH1/COCHISE

Cod: 40390F 00 849  
• ISO9523

#### FIT KIT

Cod: 403961 00 051

※ビンディングの単品販売は行っておりません。

