
WE CAN TAKE YOU THERE.
FEEL. FREE.
SKIS & BOOTS COLLECTION 16/17
TECNICA
tecnicasports.com
BLIZZARD
blizzardsports.com

TECNICA

tecnicasports.com

BOOTS COLLECTION 16/17

C.A.S.
Custom Adaptive Shape

C.A.S. LINER TECHNOLOGY

限りなく足型に近い形状にカスタマイズ可能なインナー



C.A.S. LINER FEATURES

C.A.S ・
人体工学に基づく適切な形状・
2層構造の熱成型可能マイクロセル素材

- 抜群のフィッティングを実現
- 敏感なパワー伝達性能
- 極めて型崩れしにくい

C.A.S. LINER CUSTOMIZATION

パンチング
-足の当たる部分のボリュームUP

グライディング
-2㎜の厚さまで削りだし可能

プレ成型されたインナー
-舟状骨、踝など、
骨の当たりやすい部分のスペースを確保

熱成型により、ブーツ内の空間を全て埋める
-足側へのフィットとシェル側へのフィット

C.A.S.
Custom Adaptive Shape

C.A.S. SHELL TECHNOLOGY

限りなく足型に近い形状にカスタマイズ可能なシェル



C.A.S. SHELL FEATURES

人体工学に基づいた形状

カスタマイズ
- シェルを簡単に、素早く温めることが可能
- より足型にあった形に加工が可能

C.A.S. SHELL CUSTOMIZATION

パンチング
-フィッティングに問題のある箇所を
温めてパンチングすることが可能

グライディング
-フィッティングに問題のある箇所の
削り出し加工が可能

QUADRAFIT

ライナーは、様々な素材の組み合わせにより
４種類のレイヤーを使用。
密度や厚さのバリエーションを持たせることで、
全てのレベルのスキーヤーに適切なフィット感を実現。



ULTRAFIT PRO RACE

- 正確で敏感なフィット感
- マイクロファイバーライニング
- ラテックスによる保護
- 3D EVA素材製の足首周辺プロテクターパッドとタングの熱成型が可能

ULTRAFIT PRO

-正確で快適なフィット感
-3D EVA素材製の足首周辺プロテクターパッドとタングの熱成型が可能

ULTRAFIT

-快適なフィット感
-3D EVA素材製の足首周辺プロテクターパッドとタングの熱成型が可能

TECNICA VOLUME CONCEPT

人体工学に基づく形状と適切なボリュームが
最高のフィット感とパフォーマンスを提供します。
適切なラッピングは操作性を向上させ、
より安全性を高めます。

	VOLUME	LAST (mm)
ELV	EXTRA LOW VOLUME	93
LV	LOW VOLUME	98
MV FR	MEDIUM VOLUME FREERIDE	99
MV T	MEDIUM VOLUME TOURING	99
MV	MEDIUM VOLUME	100
HV	HIGH VOLUME	102

QUICK INSTEP

シェルの足の甲部周辺部に柔らかい素材を使用することで、
ブーツの着脱が容易に。



NEW MERINO LINER

全てのレディースモデルのインナーに、極めて柔らかく、
快適な素材メリノウールを採用。
寒い時に暖かく、暑い時には涼しい素材。



COCHISE

CONQUER YOUR MOUNTAIN



THE **LIGHTEST**

4 BUCKLES POLYETHER SKIBOOT EVER MADE

POWER LIGHT DESIGN

従来のものよりも30%薄く、2.5倍強度の強いポリエチレンフレームを採用

30% THINNER **2.5X** STIFFER

1. MOBILITY CUFF
- 可動域 42度

2. IIFT LOCK BUCKLES
- 極めて軽量なアルミを使用
- バックルを上げた状態に保てる リフトロック構造
- 動きに幅広く対応可能な カフ部のフック

3. LOW TECH INSERT
- DYNテックビンディング対応
- アルペンビンディング対応ソール (ISO 5355)
- ツアービンディング対応の 別売ツアー用ソール (ISO9523)に交換可能

4. AQUA STOP WATER PROTECTION
- 2重構造で水の浸入をガード

5. C.A.S. LINER
- アナトミカルフィットインナーブーツ
- 熱成型可能

* P2参照

6. C.A.S. SHELL
- アナトミカルフィットシェル
- すぐにブーツが温まり、素早く成型可能
- ブーツフィッターがチューンナップしやすい 素材、形状

* P2参照



COCHISE 130 DYN

Cod: 10174000P97

Color: BRIGHT ORANGE

Size: 22.5-30.5

C.A.S.: liner & shell
Shell: bi-material Polyether
Cuff: bi-material Polyether
Footprint: ISO 5355 with low tech rubber toe & heel
Mobility Cuff: NEW - Self Adjusting System
Liner: ULTRAFIT PRO CAS liner, adj tongue

Buckles: 4 micro full ALU screwed with Lift Lock
Ratchets: all screwed - double hook on the cuff
Spoiler: Velcro spoiler
Powerstrap: 45mm

FLEX 130 | LAST 99 | VOLUME MV FR

TECHNOLOGIES



COCHISE 120 DYN

Cod: 10174100100

Color: BLACK

Size: 22.5-30.5

C.A.S.: liner & shell
Shell: bi-material Polyester
Cuff: bi-material Triax 3.0
Footprint: ISO 5355 bi-material with low tech
Mobility Cuff: NEW - Self Adjusting System
Liner: ULTRAFIT PRO CAS liner, adj tongue

Buckles: 4 micro full ALU screwed with Lift Lock
Ratchets: all screwed - double hook on the cuff
Powerstrap: 45mm

FLEX 120 | LAST 99 | VOLUME MV FR

TECHNOLOGIES



COCHISE 110

Cod: 10174200R17

Color: PROCESS BLUE

Size: 24.5-30.5

C.A.S.: liner & shell
Shell: bi-material Polyester
Cuff: bi-material Triax 3.0
Footprint: ISO 5355
Mobility Cuff: NEW - Self Adjusting System
Liner: ULTRAFIT CAS liner

Buckles: 4 micro ALU
Ratchets: all screwed - single hook on the cuff
Powerstrap: 45mm

FLEX 110 | LAST 99 | VOLUME MV FR

TECHNOLOGIES



COCHISE 100

Cod: 10174300201

Color: ANTRACITE

Size: 24.5-30.5

C.A.S.: Shell
Shell: bi-material Polyester
Cuff: bi-material Triax 3.0
Footprint: ISO 5355
Mobility Cuff: NEW - Self Adjusting System

Liner: ULTRAFIT
Buckles: 4 micro ALU
Ratchets: all screwed - single hook on the cuff
Powerstrap: 35mm

FLEX 100 | LAST 99 | VOLUME MV FR

TECHNOLOGIES



COCHISE 105 W DYN

Cod: 20145000182

Color: BLUE COBALTO

Size: 22.5-27.5

C.A.S.: liner & shell
Shell: bi-material Polyester
Cuff: Specific W profile / bi-material Triax 3.0
Footprint: ISO 5355 bi-material with low tech
Mobility Cuff: NEW - Self Adjusting System

Liner: ULTRAFIT PRO W CAS liner, Merino
Buckles: 4 micro ALU
Ratchets: all screwed - double hook on the cuff
Powerstrap: 45mm

FLEX: 105 | LAST: 99 | VOLUME: MV FR

TECHNOLOGIES: CAS LINER, CAS SHELL, LOW TECH INSERT, MOBILITY CUFF, MERINO, POWER LIGHT DESIGN



COCHISE 95 W

Cod: 20145100317

Color: BLUE LAGUNA

Size: 22.5-27.5

C.A.S.: liner & shell
Shell: bi-material Polyester
Cuff: Specific W profile / bi-material Triax 3.0
Footprint: ISO 5355
Mobility Cuff: NEW - Self Adjusting System

Liner: ULTRAFIT W CAS liner, Merino
Buckles: 4 micro ALU
Ratchets: all screwed - single hook on the cuff
Powerstrap: 45mm

FLEX: 95 | LAST: 99 | VOLUME: MV FR

TECHNOLOGIES: CAS LINER, CAS SHELL, MOBILITY CUFF, MERINO, POWER LIGHT DESIGN



COCHISE 85 W

Cod: 20145200100

Color: BLACK

Size: 22.5-27.5

C.A.S.: shell
Shell: bi-material Polyester
Cuff: Specific W profile / bi-material Triax 3.0
Footprint: ISO 5355
Mobility Cuff: NEW - Self Adjusting System

Liner: ULTRAFIT W, Merino
Buckles: 4 micro ALU
Ratchets: all screwed - single hook on the cuff
Powerstrap: 35mm

FLEX: 85 | LAST: 99 | VOLUME: MV FR

TECHNOLOGIES: CAS SHELL, POWER LIGHT DESIGN, MOBILITY CUFF, MERINO

***COCHISE 90 HV, 80HV, 85 W HV, 75 W HVは交換用ソールには対応しておりません。**



COCHISE 90 HV

Cod: 10176000100

Color: BLACK

Size: 24.5-30.5

Shell: Polyolefine
Cuff: "3 BUCKLES" Polyolefine
Footprint: ISO 5355 bi-material
Mobility Cuff: YES
Liner: ULTRAFIT

Buckles: 3 micro ALU + Power Lock strap buckle
Ratchets: 9D cuff ratchet
Powerstrap: 45mm

FLEX: 90 | LAST: 102 | VOLUME: HV



COCHISE 80 HV

Cod: 10176100201

Color: ANTHRACITE

Size: 24.5-30.5

Shell: Polyolefine
Cuff: "3 BUCKLES" Polyolefine
Footprint: ISO 5355
Mobility Cuff: YES
Liner: ULTRAFIT

Buckles: 3 micro ALU
Ratchets: 9D cuff ratchet
Powerstrap: 45mm

FLEX: 80 | LAST: 102 | VOLUME: HV



COCHISE 85 W HV

Cod: 20147000311

Color: PURPLE BLACK

Size: 22.5-27.5

Shell: Polyolefine
Cuff: "3 BUCKLES" Polyolefine
Footprint: ISO 5355 bi-material
Mobility Cuff: YES
Liner: W ULTRAFIT, Merino

Buckles: 3 micro ALU + Power Lock strap buckle
Ratchets: 9D cuff ratchet
Powerstrap: 45mm

FLEX: 85 | LAST: 102 | VOLUME: HV

TECHNOLOGIES: MERINO



COCHISE 75 W HV

Cod: 20147100101

Color: WHITE

Size: 22.5-27.5

Shell: Polyolefine
Cuff: "3 BUCKLES" Polyolefine
Footprint: ISO 5355
Mobility Cuff: YES
Liner: W ULTRAFIT, Merino

Buckles: 3 micro ALU
Ratchets: 9D cuff ratchet
Powerstrap: 45mm

FLEX: 75 | LAST: 102 | VOLUME: HV

TECHNOLOGIES: MERINO

zero G

BEYOND BOUNDARIES



ONE BOOT ZERO LIMITS

DOWNHILL PERFORMANCE HAS NEVER FELT SO LIGHT

POWER LIGHT DESIGN

従来のものよりも30%薄く、2.5倍強度の強いポリエチレンフレームを採用

30% THINNER **2.5X STIFFER**

1. MOBILITY CUFF

- 可動域 44度

2. ROCKERED SOLE

- ロッカー形状のラバーソール
- SKYWALK

3. ZERO G BUCKLES

LIFT LOCK

- 極めて軽量なアルミを使用
- バックルを上げた状態に保てるリフトロック構造
- 動きに幅広く対応可能なカフ部のフック

4. LOW TECH INSERT

- DYNテックビンディング対応
- SKY WALK RUBBER (ISO 9523)
- アルペンビンディング対応の別売ソール（ISO 5355）に変更可能

5. AQUA STOP WATER PROTECTION

- 2重構造で水の浸入をガード

6. PALAU LINER 215g

*On ZeroG Guide Pro only

- シューレース採用
- 脛のサポート＆保護
- 歩行しやすい
- 熱成型可能
- 高い通気性

7. C.A.S. SHELL

C-A-S C.A.S. SHELL

- アナトミカルフィットシェル
- すぐにブーツが温まり、素早く成型可能
- ブーツフィッターがチューンナップしやすい素材、形状



ZERO G GUIDE PRO

Cod: 10174600199

Color: BRIGHT YELLOW

Size: 22.5-30.5

C.A.S.: shell
Shell: bi-material TRIAX 3.0
Cuff: bi-material TRIAX 3.0
Footprint: ISO 9523 with low tech SkyWalk rubber toe & heel
Mobility Cuff: NEW - Self Adjusting System

Liner: ULTRALIGHT - PALAU
Buckles: 4 micro full ALU screwed with Lift Lock
Ratchets: all screwed - double hook on the cuff
Powerstrap: 45mm

FLEX	LAST	VOLUME
130	99	MVT

TECHNOLOGIES

C.A.S. SHELL · LOW TECH INSERT · MOBILITY CUFF · LIFT LOCK



ZERO G GUIDE

Cod: 10174700189

Color: BRIGHT GREEN

Size: 24.5-30.5

C.A.S.: shell
Shell: bi-material TRIAX 3.0
Cuff: bi-material TRIAX 3.0
Footprint: ISO 9523 with low tech SkyWalk rubber toe & heel
Mobility Cuff: NEW - Self Adjusting System

Liner: ULTRAFIT PRO liner
Buckles: 4 micro ALU
Ratchets: all screwed - double hook on the cuff
Powerstrap: 45mm

FLEX	LAST	VOLUME
110	99	MVT

TECHNOLOGIES

C.A.S. SHELL · LOW TECH INSERT · MOBILITY CUFF



ZERO G GUIDE W

Cod: 20145500055

Color: BLUEBIRD

Size: 22.5-27.5

C.A.S.: shell
Shell: bi-material TRIAX 3.0
Cuff: bi-material TRIAX 3.0
Footprint: ISO 9523 with low tech SkyWalk rubber toe & heel
Mobility Cuff: NEW - Self Adjusting System

Liner: ULTRAFIT PRO liner, Merino
Buckles: 4 micro ALU
Ratchets: all screwed - double hook on the cuff
Powerstrap: 45mm

FLEX	LAST	VOLUME
105	99	MVT

TECHNOLOGIES

C.A.S. SHELL · LOW TECH INSERT · MOBILITY CUFF · MERINO



HIGH PERFORMANCE

TECNICA SKIBOOTS COLLECTION
2016/17



MACH1 130 LV

Cod: 10169600P9A

Color: BR ORANGE-BLACK

Size: 3.5-10.5 UK

C.A.S.: liner & shell
Shell: Polyether (quick instep)
Cuff: Polyether
Footprint: ISO 5355 bi-material
Liner: C.A.S. - ULTRAFIT PRO RACE

Buckles: 4 micro ALU screwed buckles & catches
Spoiler: Velcro Spoiler
Powerstrap: 45mm Power Lock strap easy adj
Canting: double oversize canting screwed

FLEX: 130 | LAST: 98 | VOLUME: LV

TECHNOLOGIES: C.A.S. LINER, C.A.S. SHELL, QUICK INSTEP



MACH1 130 MV

Cod: 10170000P9A

Color: BR ORANGE-BLACK

Size: 24.5-30.5

C.A.S.: liner & shell
Shell: Polyether (quick instep)
Cuff: Polyether - Rear spine with carbon insert
Footprint: ISO 5355 bi-material
Liner: C.A.S. - ULTRAFIT PRO

Buckles: 4 micro ALU screwed buckles & catches
Spoiler: Velcro Spoiler
Powerstrap: 45mm Power Lock strap easy adj
Canting: double oversize canting screwed

FLEX: 130 | LAST: 100 | VOLUME: MV

TECHNOLOGIES: C.A.S. LINER, C.A.S. SHELL, QUICK INSTEP



MACH1 120 LV

Cod: 10169800R1A

Color: PROCESS BLUE-BLACK

Size: 3.5-10.5 UK

C.A.S.: liner & shell
Shell: Polyester (quick instep)
Cuff: Polyester
Footprint: ISO 5355 bi-material
Liner: C.A.S. - ULTRAFIT PRO RACE
Buckles: 4 micro ALU

Powerstrap: 45mm
Canting: double oversize canting screwed

FLEX: 120 | LAST: 98 | VOLUME: LV

TECHNOLOGIES: C.A.S. LINER, C.A.S. SHELL, QUICK INSTEP



MACH1 120 MV

Cod: 10170100R1A

Color: PROCESS BLUE-BLACK

Size: 22.5-30.5

C.A.S.: liner & shell
Shell: Polyester (quick instep)
Cuff: Polyester - Rear spine with fiber glass insert
Footprint: ISO 5355 bi-material
Liner: C.A.S. - ULTRAFIT PRO
Buckles: 4 micro ALU

Powerstrap: 45mm
Canting: double oversize canting screwed

FLEX: 120 | LAST: 100 | VOLUME: MV

TECHNOLOGIES: C.A.S. LINER, C.A.S. SHELL, QUICK INSTEP



MACH1 110 LV

Cod: 10169700100

Color: BLACK

Size: 3.5-10.5 UK

C.A.S.: liner & shell
Shell: Polyester (quick instep)
Cuff: Polyolefine
Footprint: ISO 5355 bi-material
Liner: C.A.S. - ULTRAFIT PRO RACE

Buckles: 4 micro ALU
Powerstrap: 35mm power strap
Canting: double oversize canting screwed

FLEX: 110 | LAST: 98 | VOLUME: LV

TECHNOLOGIES: C.A.S. LINER, C.A.S. SHELL, QUICK INSTEP



MACH1 110 MV

Cod: 10170200100

Color: BLACK

Size: 24.5-30.5

C.A.S.: liner & shell
Shell: Polyester (quick instep)
Cuff: Polyolefine
Footprint: ISO 5355 bi-material
Liner: C.A.S. - ULTRAFIT
Buckles: 4 micro ALU

Powerstrap: 35mm power strap
Canting: double oversize canting screwed

FLEX: 110 | LAST: 100 | VOLUME: MV

TECHNOLOGIES: C.A.S. LINER, C.A.S. SHELL, QUICK INSTEP



MACH1 100 MV

Cod: 10170300201

Color: ANTHRACITE

Size: 24.5-30.5

C.A.S.: shell
Shell: Polyester (quick instep)
Cuff: Polyolefine
Footprint: ISO 5355
Liner: ULTRAFIT
Buckles: 4 micro alu

easy adj. top cuff ratchet
Powerstrap: 35mm power strap
Canting: double oversize canting
Test and Buy

FLEX 100 | LAST 100 | VOLUME MV

TECHNOLOGIES: C.A.S. SHELL, QUICK INSTEP



MACH1 90 MV

Cod: 10170400100

Color: BLACK

Size: 24.5-30.5

C.A.S.: shell
Shell: Polyester (quick instep)
Cuff: Polyolefine
Footprint: ISO 5355
Liner: ULTRAFIT
Buckles: 4 micro ALU

Powerstrap: 35mm power strap
Canting: double oversize canting

FLEX 90 | LAST 100 | VOLUME MV

TECHNOLOGIES: C.A.S. SHELL, QUICK INSTEP



MACH1 105 W LV

Cod: 20141500311

Color: PURPLE BLACK

Size: 3.5-8.5 UK

C.A.S.: liner & shell
Shell: Polyester (quick instep)
Cuff: Polyolefine
Footprint: ISO 5355 bi-material
Liner: C.A.S. - W ULTRAFIT PRO

Buckles: 4 micro ALU
Powerstrap: 35mm strap
Canting: double oversize canting screwed

FLEX 105 | LAST 98 | VOLUME LV

TECHNOLOGIES: C.A.S. LINER, C.A.S. SHELL, QUICK INSTEP



MACH1 105 W MV

Cod: 20142000311

Color: PURPLE BLACK

Size: 22.5-27.5

C.A.S.: liner & shell
Shell: Polyester (quick instep)
Cuff: Specific W - Polyolefine
Footprint: ISO 5355 bi-material
Liner: C.A.S. - W ULTRAFIT

Buckles: 4 micro ALU
easy adj. top cuff ratchet
Powerstrap: 35mm strap
Canting: double oversize canting screwed

FLEX 105 | LAST 100 | VOLUME MV

TECHNOLOGIES: C.A.S. LINER, C.A.S. SHELL, QUICK INSTEP



MACH1 95 W LV

Cod: 20141600869

Color: NIGHT BLUE

Size: 3.5-8.5 UK

C.A.S.: liner & shell
Shell: Polyester (quick instep)
Cuff: Polyolefine
Footprint: ISO 5355
Liner: C.A.S. - W ULTRAFIT PRO

Buckles: 4 micro ALU
Powerstrap: 35mm power strap
Canting: double oversize canting

FLEX 95 | LAST 98 | VOLUME LV

TECHNOLOGIES: C.A.S. LINER, C.A.S. SHELL, QUICK INSTEP



MACH1 95 W MV

Cod: 20142100869

Color: NIGHT BLUE

Size: 22.5-27.5

C.A.S.: liner & shell
Shell: Polyether (quick instep)
Cuff: Specific W - Polyolefine
Footprint: ISO 5355
Liner: C.A.S. - W ULTRAFIT

Buckles: 4 micro ALU
Powerstrap: 35mm power strap
Canting: double oversize canting

FLEX 95 | LAST 100 | VOLUME MV

TECHNOLOGIES: C.A.S. LINER, C.A.S. SHELL, QUICK INSTEP



MACH1 85 W LV

Cod: 20141700100

Color: BLACK

Size: 3.5-8.5 UK

C.A.S.: shell
Shell: Polyester (quick instep)
Cuff: Polyolefine - Low cuff
Footprint: ISO 5355
Liner: W ULTRAFIT
Buckles: 4 micro ALU

Powerstrap: 35mm strap
Canting: double oversize canting

FLEX 85 | LAST 98 | VOLUME LV

TECHNOLOGIES: C.A.S. SHELL, QUICK INSTEP



MACH1 85 W MV

Cod: 20142200100

Color: BLACK

Size: 22.5-27.5

C.A.S.: shell
Shell: PU (quick instep)
Cuff: Specific W - Polyolefine
Footprint: ISO 5355
Liner: W ULTRAFIT
Buckles: 4 micro ALU

Powerstrap: 35mm strap
Canting: double oversize canting

FLEX 85 | LAST 100 | VOLUME MV

TECHNOLOGIES: C.A.S. SHELL, QUICK INSTEP



RACE COLLECTION

TECNICA BOOTS COLLECTION 2016/17



R9.3 150

Cod: 10169000100

Color: BLACK

Size: 3-10 UK

Shell: Polyether
Cuff: Polyether
Footprint: WC (grinding before use)
Liner: WC with laces

Buckles: 4 micro race WC screwed
Spoiler: Velcro Spoiler
Powerstrap: 50mm power strap

FLEX	LAST	VOLUME
150	93	ELV



R9.3 130

Cod: 10169100100

Color: BLACK

Size: 3-10 UK

Shell: Polyether
Cuff: Polyether
Footprint: WC (grinding before use)
Liner: WC with laces

Buckles: 4 micro race WC screwed
Spoiler: Velcro Spoiler
Powerstrap: 50mm power strap

FLEX	LAST	VOLUME
130	93	ELV



R9.3 110

Cod: 10169200100

Color: BLACK

Size: 3-10 UK

Shell: Polyether
Cuff: Polyether
Footprint: WC (grinding before use)
Liner: WC with laces

Buckles: 4 micro race WC
Spoiler: Velcro Spoiler
Powerstrap: 50mm power strap

FLEX	LAST	VOLUME
110	93	ELV



MACH1 R 130 LV

Cod: 10169500100

Color: BLACK

Size: 3.5-10.5 UK

C.A.S.: liner, shell
Shell: Polyether (quick instep)
Cuff: Polyether
Footprint: ISO 5355 bi-material
Liner: C.A.S. - ULTRAFIT PRO RACE

Buckles: 4 micro ALU screwed
Spoiler: Velcro Spoiler
Powerstrap: 45mm Power Lock strap easy adj

FLEX: 130
LAST: 98
VOLUME: LV

TECHNOLOGIES



MACH1 R 110 LV

Cod: 10173400100

Color: BLACK

Size: 3.5-10.5 UK

C.A.S.: liner, shell
Shell: Polyester (quick instep)
Cuff: Polyolefine
Footprint: ISO 5355 bi-material
Liner: C.A.S. - ULTRAFIT PRO RACE

Buckles: 4 micro ALU screwed
Powerstrap: 35mm power strap

FLEX: 110
LAST: 98
VOLUME: LV

TECHNOLOGIES



MACH1 R 90

Cod: 30129100100

Color: BLACK

Size: 3.5-8.5 UK

C.A.S.: shell
Shell: polyester
Cuff: polyolefine (lower cuff)
Footprint: ISO 5355 Adult norm
Liner: ULTRAFIT (specific for 95mm last)

Buckles: 4 micro alu
Velcro: 35mm strap with plate
Spoiler: velcro spoiler
Canting: Double

FLEX: 90
LAST: 95

TECHNOLOGIES



JUNIOR

R PRO 70

Cod: 30129200100

Color: BLACK

Size: 18.5-27.5

Shell: polyester
Cuff: polyolefine
Footprint: ISO 5355
Chidren norm: 185-215
Adult norm: 225-275

Liner: JUNIOR PRO
Buckles: 4 micro alu
Velcro: 30 mm strap
Spoiler: velcro spoiler
Canting: Double

FLEX: 70



JUNIOR

R PRO 60

Cod: 30129300100

Color: BLACK

Size: 18.5-27.5

Shell: polyolefine
Cuff: polyolefine
Footprint: ISO 5355
Chidren norm: 185-215
Adult norm: 225-275

Liner: JUNIOR PRO
Buckles: 4 micro plastic with ring
Velcro: 25mm strap

FLEX: 60



BLIZZARD


blizzardsports.com

SKI COLLECTION 16/17

01

LITE CORE

近年のフリーライドやオールマウンテンスキーに対する
ニーズを受けて生み出されたテクノロジー。
バンブーとアイソコアにより軽量化を実現。





02

SIDEWALL

サイドウォール構造のメリット

-エッジへのパワー伝達性能の向上
-スキーのトップからテールまで
全てに圧を加える
-優れた安定性
-高いコントロール性能
-カービング性能を最大限引き出す



03

RACE TIP PROFILE

レーシングスキーのトップ形状はよりアグレッシブに先端までエッジが
ストレートに伸び、かつ柔らかい構造となっています。
この構造が、シンプルで容易なターン始動を可能にします。



04

IQ JUNIOR

究極のジュニア用のスキーテクノロジー。
IQシステムは、フリックス構造なのでハードパックバーンで
優れたグリップ性能を発揮しながらも次のターンへの準備が容易で、
バランスのとれたフレックスを維持することができます。



05

DURA-TEC

それぞれのディテールがスキーの強さと耐久性を最大限に高めるために
デザインされています。

- **アルミニウム製チッププロテクター**
- **市場の平均よりも20%厚いトップシートにより引っかき傷や打撃から保護する役割を果たします**
- **より短くなったIQトラックでエッジがぶつかった時のダメージを受けにくくします**
- **強化されたテールプロテクター**



06

CAMBER (ROCKER) PROFILE

FC

FULL CAMBER



フルキャンバープロファイルはトップからテールまで完璧な圧配分をもたらし、
ターン弧全体を通して最大限のエッジグリップを実現。

R-C-R

ROCKER CAMBER ROCKER



トップとテールがロッカー形状をしており、センターはキャンバーの構造。
トップとテールがエッジへの圧を減少させることで
パウダースノー滑走時のターンが容易になりかつ浮力も得られやすくなります。
また、足元のキャンバー形状が整地された雪質での優れたグリップ力を
引き出します。

R-F-R

ROCKER FLAT ROCKER



トップとテールが顕著なロッカー形状で、センターはフラット形状。
トップとテールのはっきりとした湾曲はバックカントリーの斜面において
抜群の浮力をもたらします。

BLIZZARD QUATTRO

CONSTRUCTION

操作性と安定性を重視してブリザード独自のフルウッドコアサンドイッチ構造とサイドウォール構造、そしてIQテクノロジーを上級者向けにブレンドして誕生したQUATTROシリーズ。

IQ SW TI CARBON
新次元の安定性と板の走りともたらすコンストラクション

IQ SW TI
あらゆるスピードにおいて優れた安定性と疲労感の少ない滑走を実現するコンストラクション

IQ SW CA
高い安定性と板の反発力を持ちながらも軽量で快適な滑走を実現するコンストラクション



IQ SYSTEM

スキーとビンディングを完全に一体化させる唯一のテクノロジー
「Blizzard IQ Technology」（特許）
優れた精確性と安定性をスキーヤーへ提供します。

- **自然なスキーのフレックス**
- **スキーに対してダイレクトなパワー伝達性能**
- **軽量構造**
- **衝撃吸収システム**
- **エッジ全体に均等な圧配分**

FULL SUSPENSION
スキーコンストラクションにカーボンファイバーのストラクチャーを入れ、弾力のある衝撃吸収素材と一体化したシステム。滑走時の振動を抑制し、よりダイナミックでエッジグリップに優れた滑りが可能

SUSPENSION
スキーコンストラクションにポリアミドのストラクチャーを入れ弾力のある衝撃吸収素材と一体化したシステム。滑走時の振動を抑制し、より高いエッジグリップと疲労の少ない滑走が可能



SHAPE

ブリザードクアトロは異なるサイドカット、センター幅、長さのチョイスにより、好みに応じた乗り味を可能にします。

NARROW WAISTED SKI (69-74MM)
- エッジトゥエッジの素早い切り替えが可能
- アイスバーンでの最高のエッジグリップ

WIDER WAISTED SKI (80-84MM)
- あらゆるコンディションでの安定性
- より大きな内傾角度

LONGER SKI SIZES (>170CM)
- 14~17Mのラディウス
- GSサイズのターン弧に最適な形状

SHORTER SKI SIZES (< 170CM)
- 10~13Mのラディウス
- ファンカービングのような乗り味



ロッカー形状の度合いは、最新のカービングスキーにおいて、機敏さと操作性の幅を決定づける重要な要素となります。

ブリザードクアトロにおけるロッカー形状では2ミリずつ変化をつけた形状を採用し、ユーザーのニーズに合わせた選択が可能となっています。

FULL CAMBER
アイスバーンでの滑走性や素早いエッジトゥエッジの滑りを好むスキーヤー向け

2MM ROCKER
レーシングスキーのような滑走性を持ちながらも深雪での浮力や不整地での操作性も求めるスキーヤー向け

4MM ROCKER
スキーをずらしたり、より楽で快適な滑走性を求めるスキーヤー向け






BLIZZARD QUATTRO RS
Cod: 8A6045 00 001
BLACK-ORANGE

Lengths: 153-160-167-174-181 cm
Sidecut: 116-**69**-100 mm (174)
Radius: 10; 10,5; 12; 16; 17,5 m
Binding: XCELL14 DEMO <8C6003F5001>
Construction: Sandwich Compound Sidewall IQ; Wood, Titanium, Carbon

TECHNOLOGIES






BLIZZARD QUATTRO RX
Cod: 8A6047 00 001
BLACK-ORANGE

Lengths: 167-174-181 cm
Sidecut: 129-**84**-113 mm (174)
Radius: 14,5; 16; 17,5 m
Binding: XCELL14 DEMO <8C6003F5001>
Construction: Sandwich Compound Sidewall IQ; Wood, Titanium, Carbon

TECHNOLOGIES






BLIZZARD QUATTRO 6.9 Ti
Cod: 8A6049 00 001
BLACK-LIME

Lengths: 153-160-167-174-181 cm
Sidecut: 116-**69**-100 mm (174)
Radius: 10; 10,5; 12; 16; 17,5 m
Binding: XCELL12 DEMO <8C6007E1001>
Construction: Sandwich Compound Sidewall IQ; Wood, Titanium, Carbon

TECHNOLOGIES






BLIZZARD QUATTRO 8.4 Ti
Cod: 8A6057 00 001
BLACK-LIME

Lengths: 167-174-181 cm
Sidecut: 129-**84**-113 mm (174)
Radius: 14,5; 16; 17,5 m
Binding: XCELL12 DEMO <8C6007E1001>
Construction: Sandwich Compound Sidewall IQ; Wood, Titanium, Carbon

TECHNOLOGIES






BLIZZARD QUATTRO 7.4 Ti
Cod: 8A6051 00 001
ANTHRACITE-RED

Lengths: 150-156-162-168-174-180 cm
Sidecut: 118-**74**-101 mm (174)
Radius: 11,5; 12,5; 13,5; 14,5; 16; 17,5 m
Binding: TCX12 DEMO <8C6009C2002>
Construction: Sandwich Compound Sidewall IQ; Wood, Titanium

TECHNOLOGIES







BLIZZARD QUATTRO 8.0 Ti
Cod: 8A6059 00 001
ANTHRACITE-RED

Lengths: 156-162-168-174-180 cm
Sidecut: 125-**80**-108 mm (174)
Radius: 12,5; 13,5; 14,5; 16; 17,5 m
Binding: TCX12 DEMO <8C6009C2002>
Construction: Sandwich Compound Sidewall IQ; Wood, Titanium

TECHNOLOGIES






FREERIDE COLLECTION

BLIZZARD SKI COLLECTION 2016/17

CARBON FLIPCORE

フリップコアは革命的なロッカーテクノロジーです。
構造のメリットはパウダーの中で自然なフレックス、信じられないくらいの浮力、抜群の安定性をもたらします。その自然なロッカー形状は、強制的に曲げたりプレス機で人工的な形状に加工したりといったことをすることなく製造されます。
結果として、スキーに対しての圧分配を残したまま新次元の安定性能を持つ革新的ロッカースキーに仕上がります。

メリット
- エッジへの優れた圧配分
- スキーが非常に簡単に操作可能
- 抜群の浮力をもたらす効果
- 高速滑走時の安定性の実現
- 自然なフレックス
- グリップと安定性の強化








SPUR
Cod: 8A5106 00 001
BLACK/SILVER

Lengths: 189 cm
Sidecut: 146-**125**-134 mm (189)
Radius: 28,5 m
Weight: 2,400g +/- 50g (189 cm)
Construction: Sandwich Compound Sidewall; Poplar-Bamboo-ISO-Wood, Carbon

TECHNOLOGIES






BODACIOUS
Cod: 8A5108 00 001
GREEN/BLACK

Lengths: 177-185-193 cm
Sidecut: 137,5-**118**-126,5 mm (185)
Radius: 25,5; 27; 31 m
Weight: 2,240g +/- 50g (185 cm)
Construction: Sandwich Compound Sidewall; Poplar-Bamboo-ISO-Wood, Carbon

TECHNOLOGIES






COCHISE
Cod: 8A5110 00 001
BLUE/BLACK

Lengths: 171-178-185-192 cm
Sidecut: 136-**108**-122 mm (185)
Radius: 23; 25; 27; 29 m
Weight: 2,200g +/- 50g (178 cm)
Construction: Sandwich Compound Sidewall; Poplar-Beech Woodcore, Double Ti, Carbon

TECHNOLOGIES






BONAFIDE
Cod: 8A5112 00 001
RED/BLACK

Lengths: 166-173-180-187 cm
Sidecut: 133-**98**-118 mm (180)
Radius: 19; 20; 21; 22 m
Weight: 2,15g +/- 50g (173 cm)
Construction: Sandwich Compound Sidewall; Poplar-Beech Woodcore, Double Ti, Carbon

TECHNOLOGIES






BRAHMA
Cod: 8A6099 00 001
ANTHRACITE

Lengths: 166-173-180-187 cm
Sidecut: 125-**88**-110 mm (180)
Radius: 17; 18; 19; 20 m
Weight: 1,920g +/- 50g (173 cm)
Construction: Sandwich Compound Sidewall; Poplar-Beech Woodcore, Double Ti, Carbon

TECHNOLOGIES






LATIGO
Cod: 8A5118 00 001
ORANGE

Lengths: 163-170-177-184 cm
Sidecut: 115-**78**-102 mm (177)
Radius: 16; 17; 18; 19 m
Weight: 1,700g +/- 50g (170 cm)
Construction: Sandwich Compound Sidewall; Poplar-Beech Woodcore, Double Ti

TECHNOLOGIES







GUNSMOKE
Cod: 8A6131 00 001
WHITE/BLACK

Lengths: 179-186-193 cm
Sidecut: 140-**114**-130 mm (186)
Radius: 21; 22; 23 m
Weight: 2,290g +/- 50g (186 cm)
Construction: Sandwich Compound Sidewall; Poplar-Beech Woodcore + Ti Binding Interface

TECHNOLOGIES






TOURING COLLECTION

BLIZZARD SKI COLLECTION 2016/17

CARBON DRIVE

超軽量構造でカーボン素材を
組み上げたテクノロジー。
独自の３Ｄ幾何学構造がフレックスと
トーションの強度を高めてくれます。
その結果、マウンテニアリングスキーの
世界では前代未聞の安定感と操作性を
持つスキーとなりました。



POMOCA TECH

POMOCA 製スキン

ベルベット：RACE PRO
メンブレン：SAFER SKIN LIGHT
接着剤：POMOCA FORMULA
チップ固定金具：UNIVERSAL STEEL WIRE
テール固定金具：UNIVERSAL TAIL CLIP



PINTECH BINDING

性能：
他に類を見ないパワー伝達性能
快適さ/扱いやすさ：
独自の快適性と容易な取り扱い性能
プロテクション：
ISO 適合の最初のピンテックビンディング
(DIN ISO 13992:2007)



SKIS

ZERO G 108 : ラッセルで移動しファーストトラックを滑走する志向が強いスキーヤー
ZERO G 95 : ハイクアップも滑走も重視するスキーヤー
ZERO G 85 : 80MMオーバーのウェストを持つ軽量ツアースキーを求めるスキーヤー

	157	164	171	178	185
ZERO G 108	-	-	1540 (+-50g)	1650 (+-50g)	1750 (+-50g)
ZERO G 95	-	1070 (+-50g)	1150 (+-50g)	1250 (+-50g)	1330 (+-50g)
ZERO G 85	945 (+-50g)	1015 (+-50g)	1090 (+-50g)	1175 (+-50g)	1255 (+-50g)



ZERO G 108

Cod: 8A6145 00 001

BLACK-ORANGE

Lengths: 171-178-185-192 cm
Sidecut: 136-**108**-122 mm (185)
Radius: 23; 25; 27; 29 m
Weight: 1,540g +/- 50g (171 cm); 0,79g/cm²
Construction: Sandwich Compound Sidewall; Carbon Drive Technology

TECHNOLOGIES

SIDEWALL | CARBON DRIVE | ROCKER CAMBER ROCKER



ZERO G 095

Cod: 8A6147 00 001

GREEN-YELLOW

Lengths: 164-171-178-185 cm
Sidecut: 128-**95**-111,5 mm (178)
Radius: 18; 20; 21; 22 m
Weight: 1,150g +/- 50g (171 cm); 0,66g/cm²
Construction: Sandwich Compound Sidewall; Carbon Drive Technology

TECHNOLOGIES

SIDEWALL | CARBON DRIVE | ROCKER CAMBER ROCKER



ZERO G 085

Cod: 8A6149 00 001

YELLOW-GREEN

Lengths: 157-164-171-178-185 cm
Sidecut: 116-**85**-99,5 mm (171)
Radius: 16; 18; 19; 20; 22 m
Weight: 1,015g +/- 50g (164 cm); 0,67g/cm²
Construction: Sandwich Compound Sidewall; Carbon Drive Technology

TECHNOLOGIES

SIDEWALL | CARBON DRIVE | ROCKER CAMBER ROCKER



ZERO G 085

Cod: 8A6151 00 001

TURQUOISE-WHITE

Lengths: 157-164-171-178-185 cm
Sidecut: 116-**85**-99,5 mm (164)
Radius: 16; 18; 19; 20; 22 m
Weight: 1,015g +/- 50g (164 cm); 0,67g/cm²
Construction: Sandwich Compound Sidewall; Carbon Drive Technology

TECHNOLOGIES

SIDEWALL | CARBON DRIVE | ROCKER CAMBER ROCKER



ZERO G RACE

Cod: 8A6153 00 001

BLACK-ORANGE

Lengths: 161 cm
Sidecut: 98-**65**-78 mm (161)
Radius: 24 m
Weight: 0,685g +/- 30g (161 cm)
Construction: Sandwich Compound; Carbon Drive Technology

TECHNOLOGIES

CARBON DRIVE | ROCKER CAMBER ROCKER



RACE COLLECTION

BLIZZARD
SKI COLLECTION
2016/17



GS FIS-RACE DEPT

Cod: 8A6007 00 001
BLACK-ORANGE-BLUE

Lengths: 183-188-190-195cm
Sidecut: R&D
Radius: >30;>30;>35;>35m
Plate: Marker WC Piston® Plate
Construction: Sandwich Compound Sidewall; Wood, Titanium, FIS Racing Construction

TECHNOLOGIES

SIDEWALL · RACE TIP PROFILE · FULL CAMBER



GS FIS-RACING

Cod: 8A6015 00 001
BLACK-ORANGE-BLUE

Lengths: 184-188 cm
Sidecut: 102-**65**-87 mm (184)
Radius: >25; >27 m
Plate: Marker WC Piston® Plate
Construction: Sandwich Compound Sidewall; Wood, Titanium, FIS Racing Construction

TECHNOLOGIES

SIDEWALL · RACE TIP PROFILE · FULL CAMBER



SL FIS-RACING

Cod: 8A6017 00 001
BLACK-ORANGE-BLUE

Lengths: 156-165 cm
Sidecut: 116,5-**65**-101,5 mm (165)
Radius: >11; >13 m
Plate: Marker WC Piston® Plate
Construction: Sandwich Compound Sidewall; Wood, Titanium, FIS Racing Construction

TECHNOLOGIES

SIDEWALL · FULL CAMBER



GS RACING

Cod: 8A6029 00 001
BLACK-ORANGE-BLUE

Lengths: 170-177-184 cm
Sidecut: 103,5-**65**-88,5 mm (177)
Radius: >17; >23; >25 m
Plate: Marker WC Piston® Plate
Construction: Sandwich Compound Sidewall; Wood, Titanium

TECHNOLOGIES

SIDEWALL · RACE TIP PROFILE · DURA-TEC · FULL CAMBER



SL RACING

Cod: 8A6031 00 001
BLACK-ORANGE-BLUE

Lengths: 150 cm
Sidecut: 113-**65**-98 mm (150)
Radius: >12 m
Plate: Marker WC Piston® Plate
Construction: Sandwich Compound Sidewall; Wood, Titanium

TECHNOLOGIES

SIDEWALL | DURA-TEC | FULL CAMBER



WRC RACING WC-PISTON

Cod: 8A6019 00 001
BLACK-ORANGE-BLUE

Lengths: 176-182-186 cm
Sidecut: 115-**71**-100 mm (182)
Radius: 19;20;21 m
Plate: Marker WC Piston® Plate
Construction: Sandwich Compound Sidewall; Wood, Titanium

TECHNOLOGIES

SIDEWALL | RACE TIP PROFILE | FULL CAMBER



WRC

Cod: 8A6021 00 001
BLACK-ORANGE-BLUE

Lengths: 167-172-176-182 cm
Sidecut: 115-**71**-99 mm (176)
Radius: 17;18;19;20 m
Binding: XCELL14 DEMO (8C6003 F5 001)
Construction: Sandwich Compound Sidewall; Wood, Titanium

TECHNOLOGIES

SIDEWALL | RACE TIP PROFILE | DURA-TEC | FULL CAMBER



SRC

Cod: 8A6023 00 001
BLACK-ORANGE-BLUE

Lengths: 156-160-165-170-175 cm
Sidecut: 121-**70**-106 mm (165)
Radius: 11;12;13;13,5;14 m
Binding: XCELL14 DEMO (8C6003 F5 001)
Construction: Sandwich Compound Sidewall; Wood, Titanium

TECHNOLOGIES

SIDEWALL | DURA-TEC | FULL CAMBER



RC Ti

Cod: 8A6025 00 001
BLACK-ORANGE-BLUE

Lengths: 148-154-160-166-172-178 cm
Sidecut: 121-**71**-104 mm (172)
Radius: 11;12;13;13,5;14,5;15,5 m
Binding: TCX12 DEMO (8C6009 C1 001)
Construction: Sandwich Compound Sidewall; Wood, Titanium

TECHNOLOGIES

SIDEWALL | DURA-TEC | FULL CAMBER




RC Ca

Cod: 8A6027 00 001
BLACK-ORANGE-BLUE

Lengths: 148-154-160-166-172-178 cm
Sidecut: 121-**71**-104 mm (172)
Radius: 11;12;13;13,5;14,5;15,5 m
Binding: TP10 DEMO (8C6011 B1 001)
Construction: Sandwich Compound Sidewall; Wood

TECHNOLOGIES

SIDEWALL | DURA-TEC | FULL CAMBER



JUNIOR COLLECTION

JUNIOR
BLIZZARD SKI COLLECTION

2016/17




GS JR-RACING

Cod: 8A6033 00 001
BLACK-ORANGE-BLUE

Lengths: 135-142-149-156-163-170 cm
Sidecut: 105-**65**-90 mm (163)
Radius: >14; >14; >14; >17; >17; >17 m
Plate: Junior Race Plate
Construction: Sandwich Compound Sidewall; Wood, Titanium

TECHNOLOGIES






SL JR-RACING

8A6035 00 001
BLACK-ORANGE-BLUE

Lengths: 122-129-136-143-150 cm
Sidecut: 109-**64**-94 mm (136)
Radius: >9; >9; >10; >10; >12; m
Plate: Junior Race Plate
Construction: Sandwich Compound Sidewall; Wood, Titanium

TECHNOLOGIES






RC IQ JR

8A6165 00 001 (70-150cm) IQ-4.5
8A6167 00 001 (130-150cm) IQ-7
BLACK-ORANGE-BLUE

Lengths: 70-80-90-100-110-120-130-140-150 cm (8A6165 00 001)
130-140-150 cm (8A6167 00 001)
Sidecut: 105-**68**-93 mm (110)
107-**68**-95 mm (140)
Radius: 3; 4; 5; 6; 7; 8; 9; 11: 13 m (8A6165 00 001)
9; 11; 13 m (8A6167 00 001)
Binding: IQ-4.5 (8C3120 H2 001)
IQ-7 (8C3118 H1 001)
Construction: Composite IQ

TECHNOLOGIES






GUNSMOKE IQ JR

8A5192 00 001 (99-139cm) IQ-4.5
8A5194 00 001 (119-139cm) IQ-7
YELLOW/GREEN/BLACK

Lengths: 99-109-119-129-139 cm (8A5192 00 001)
119-129-139 cm (8A5194 00 001)
Sidecut: 102-**70**-90 mm (109)
104-**70**-92 mm (129)
Radius: 6; 7; 8; 9; 11 m (8A5192 00 001)
8; 9; 11 m (8A5194 00 001)
Binding: IQ-4.5 (8C3120 H2 001)
IQ-7 (8C3118 H1 001)
Construction: Composite IQ

TECHNOLOGIES



MARKER INLINE RACE



RACE XCELL 24
Cod: 8C5028 00 001



RACE XCELL 18
Cod: 8C5030 00 001



RACE XCELL 16
Cod: 8C5032 00 001



RACE XCELL 12
Cod: 8C4029 00 001



RACE 10
Cod: 8C5034 00 001



RACE 8
Cod: 8C5036 00 001



MARKER SQUIRE 11 - 90
Cod: 8C6035 00 001



MARKER SQUIRE 11 DEMO - 90
Cod: 8C6041 00 001



MARKER KING PIN 10 DEMO 100mm
Cod: 8C5052 00 001



MARKER KING PIN 13 100mm
Cod: 8C5054 00 001



MARKER KING PIN 13 125mm
Cod: 8C5056 00 001

MARKER INLINE



MARKER DUKE EPF 16 L 305-365 - 110mm
Cod: 8C4030 00 001

MARKER DUKE EPF 16 S 265-325 - 110mm
Cod: 8C4032 00 001



MARKER BARON 13 L 305-365 - 110mm
Cod: 8C5042 00 001

MARKER BARON 13 S 265-325 - 110mm
Cod: 8C5044 00 001



MARKER JESTER 16 - 110
Cod: 8C6031 00 001



MARKER JESTER 16 DEMO - 110
Cod: 8C4044 00 001



MARKER GRIFFON 13 -110
Cod: 8C6033 00 001



MARKER GRIFFON 13 DEMO 110
Cod: 8C6039 00 001



SINGLE SKI BAG Cod: 876087 00 002
• 60 Lt. • Dimension 174 (205) x 13 x 28 cm



CRAMPON KING PIN 85 MM
Cod: 8B5040 00 001

CRAMPON KING PIN 100 MM
Cod: 8B5042 00 001

CRAMPON KING PIN 125 MM
Cod: 8B5044 00 001



SKIN ZERO G 85 L (178-185)
Cod: 8B5010 00 001

SKIN ZERO G 85 S (157-171)
Cod: 8B5012 00 001

SKIN ZERO G 95 L (178-185)
Cod: 8B5014 00 001

SKIN ZERO G 95 S (164-171)
Cod: 8B5016 00 001

SKIN UP TILL 125MM
Cod: 8B5018 00 001

＊ビンディングの単品販売は行っておりません



BOOT BAG
Cod: 422369 00 002
• 30 Lt. • Dimension 41 x 28 x 41 cm



PREMIUM BOOT BAG
Cod: 422368 00 002
• 35 Lt. • Dimension 34 x 38 x 42 cm



COCHISE ZERO G LOWTECH **TOURING** SOLES
Cod: 40390E 00 100
• ISO 9523
• Skywalk rubber
• Compatible with:
Cochise Dyn 130/120/105 W/
Zero G Guide Pro/ Guide/Guide W



RACING BACKPACK 55
Cod: 422373 00 002
• 55 Lt. • Dimension 35 x 30 x 56 cm



RACING BACKPACK 85
Cod: 422371 00 002
• 85 Lt. • Dimension 39 x 35 x 63 cm



COCHISE/ZERO G LOWTECH **ALPINE** SOLES
Cod: 40390D 00 849
• ISO 5355
• Skywalk rubber
• Compatible with:
Cochise Dyn 130/120/105 W/
Zero G Guide Pro/Guide/Guide W



LIFESTYLE BACKPACK 20
Cod: 422379 00 002
• 20 Lt. • Dimension 30 x 14 x 48cm



TECNICA OVEN (CORD 115) NAJ
Cod: 403A00 00 001
• for thermoforming C.A.S. Boots



FIT KIT
Cod: 403961 00 051
• for re-fitting C.A.S. Liners

MODEL			R 9.3	MACH1 LV	MACH1 MV	COCHISE-ZEROG	R PRO	SOLE (A=ADULT / C=CHILDREN)
		330						A
	13½	325						
	13	320						
	12½	315						
	12	310						
	11½	305						
	11	300						
	10½	295		330	350	350		
	10	290	335	330	335	335		
	9½	285		325	325	325		
	9	280	325	325	325	325		
	8½	275		315	315	315	322	
	8	270	315	305	315	315	322	
	7½	265		315	305	305	308	
	7	260	305	305	305	305	308	
	6½	255		295	295	295	298	
	6	250	295	295	295	295	298	
	5½	245		290	285	285	288	
	5	240	285	290	285	285	288	
	4½	235		280	275	275	278	
	4	230	275	280	275	275	278	
	3½	225		270	275	275	268	
	3	220	265	270	275	275	268	
	2½	215					259	C
	2	210					259	
		205					249	
		200					249	
		195					238	
		190					238	
		185					238	
		180					238	
	UK	MP	UK	UK	MP	MP	MP	

株式会社 テクニカグループジャパン
113-0033 東京都文京区本郷 1-28-10 本郷 T K ビル 3F Tel 03-5802-6277 Fax 03-5802-6278