



**BLIZZARD**  
INTELLIGENT EQUIPMENT



**SKI**

collection 2013 - 2014

## RACING



**GS FIS RACING (flat):** 8A3020 00 001  
Size/R(cm/m): 182 >23 186 >27 188 >30 195 >35 SC: secret C/R: Full Camber  
Construction: Sandwich Compound Sidewall (FIS) Special Technology: FIS Racing Construction



**SL FIS RACING (flat):** 8A3022 00 001  
Size/R(cm/m): 156/13 165/13 SC: secret C/R: Full Camber  
Construction: Sandwich Compound Sidewall (FIS) Special Technology: FIS Racing Construction



**WRC RACING WC-PISTON (flat):** 8A3023 00 001  
Size/R(cm/m): 176/19 182/20 186/21 SC: 115-71-100 mm(182cm) C/R: Full Camber  
Construction: Sandwich Compound Sidewall (Ti) Special Technology: Racing Construction



**WRC RACING SUSPENSION + POWER 12:** 8A3024 D3 001  
Size/R(cm/m): 167/17 172/18 176/19 182/20 186/21 SC: 115-71-100 mm(182cm) C/R: Full Camber  
Construction: Sandwich Compound Sidewall (Ti) Special Technology: Racing Construction



**SRC RACING SUSPENSION + POWER12:** 8A3026 D3 001  
Size/R(cm/m): 156/11 160/12 165/13 SC: 121-70-106 mm(165cm) C/R: Full Camber  
Construction: Sandwich Compound Sidewall (Ti) Special Technology: Racing Construction



**RCS RACING SUSPENSION + POWER11:** 8A3028 D5 001  
Size/R(cm/m): 167/17 172/18 176/19 182/20 SC: 115-71-99 mm(176cm) C/R: Full Camber  
Construction: Sandwich Compound Sidewall (QQ) Special Technology: Racing Construction



**SCS RACING SUSPENSION + POWER11:** 8A3030 D5 001  
Size/R(cm/m): 156/11 160/12 165/13 SC: 121-70-106 mm(165cm) C/R: Full Camber  
Construction: Sandwich Compound Sidewall (QQ) Special Technology: Racing Construction



**GS JR RACING (flat):** 8A3032 00 001  
Size/R(cm/m): 135 >14 142 >14 149 >14 156 >14 163 >17 SC: 104-65-89 mm(156cm)  
C/R: Full Camber Construction: Sandwich Compound Sidewall (Ti) Special Technology: Racing Construction



**SL JR RACING (flat):** 8A3034 00 001  
Size/R(cm/m): 122/10.5 129/10.5 136/10.5 143/10.5 SC: 109-64-94 mm(136cm)  
C/R: Full Camber Construction: Sandwich Compound Sidewall (Ti) Special Technology: Racing Construction

## HIGH PERFORMANCE - Power



**G-POWER FULLSUSPENSION IQ + POWER12:** 8A3036 D3 001  
Size/R(cm/m): 167/16 174/17 181/18 SC: 124-75-108 mm(174cm) C/R: 3D Tip-Tail Rocker  
Construction: IQ Sandwich Compound Sidewall (Ti) Special Technology: 3 Matrix Technology, DuraTec



**R-POWER FULLSUSPENSION IQ + POWER12:** 8A3038 D3 001  
Size/R(cm/m): 160/16 167/17 174/18 181/19 SC: 120-72-104 mm(174cm) C/R: 3D Tip-Tail Rocker  
Construction: IQ Sandwich Composite Sidewall (Ti) Special Technology: 3 Matrix Technology, DuraTec



**S-POWER FULLSUSPENSION IQ + POWER12:** 8A3040 D3 001  
Size/R(cm/m): 160/13 167/14 174/15 SC: 120-70-105 mm(167cm) C/R: 3D Tip-Tail Rocker  
Construction: IQ Sandwich Compound Sidewall (Ti) Special Technology: 3 Matrix Technology, DuraTec



**POWER 800 SUSPENSION IQ + POWER12:** 8A3046 D3 001  
Size/R(cm/m): 160/16 167/17 174/18 181/19 SC: 120-72-104 mm(174cm) C/R: 3D Tip-Tail Rocker  
Construction: IQ Sandwich Compound Sidewall (Ti) Special Technology: 3 Matrix Technology, DuraTec



**POWER 700 SUSPENSION IQ + POWER11:** 8A3048 D5 001  
Size/R(cm/m): 160/13 167/14 174/15 SC: 120-70-105 mm(167cm) C/R: 3D Tip-Tail Rocker  
Construction: IQ Sandwich Compound Sidewall (Ti) Special Technology: 3 Matrix Technology, DuraTec



**POWER 600 FULLSUSPENSION IQ + POWER11:** 8A3050 D5 001  
Size/R(cm/m): 153/14 160/15 167/16 174/17 SC: 121-72-104 mm(167cm) C/R: 3D Tip-Tail Rocker  
Construction: IQ Sandwich Composite Sidewall (Woodcore) Special Technology: 3 Matrix Tech. , DuraTec



**POWER 500 SUSPENSION IQ + POWER11:** 8A3052 D5 001  
Size/R(cm/m): 153/14 160/15 167/16 174/17 SC: 121-72-104 mm(167cm) C/R: 3D Tip-Tail Rocker  
Construction: IQ Sandwich Composite Sidewall (Woodcore) Special Technology: 3 Matrix Tech. , DuraTec



**POWER 400 IQ + IQ-10\_CM2:** 8A3054 G1 001  
Size/R(cm/m): 153/13 160/14 167/15 174/16 SC: 120-73-104 mm(167cm) C/R: 3D Front Rocker  
Construction: IQ Sandwich Composite Sidewall (Woodstring) Special Technology: IQ System, DuraTec

## FREE MOUNTAIN - Ride & Twin Tip

### Ride



**BODACIOUS / ボーディシャス (flat):** 8A3110 00 001

Size/R(cm/m): 176/31 186/32 196/32 SC: 142-118-132 mm(186cm) C/R: 3D Full Rocker  
Construction: Sandwich Compound Sidewall (Ti) Special Technology: Flipcore Technology



**COCHISE / コーチス (flat):** 8A3112 00 001

Size/R(cm/m): 170/25.5 177/27 185/28.5 193/29 SC: 135-108-123 mm(185cm) C/R: 3D Full Rocker  
Construction: Sandwich Compound Sidewall (Ti) Special Technology: Flipcore Technology



**BONAFIDE / ボナファイド (flat):** 8A3114 00 001

Size/R(cm/m): 166/19 173/20 180/21 187/22 SC: 133-98-118 mm(180cm) C/R: 3D Tip-Tail Rocker  
Construction: Sandwich Compound Sidewall (Ti) Special Technology: Flipcore Technology



**BRAHMA / ブラフマー (flat):** 8A3116 00 001

Size/R(cm/m): 166/17 173/18 180/19 187/20 SC: 125-88-110 mm(180cm) C/R: 3D Tip-Tail Rocker  
Construction: Sandwich Compound Sidewall (Ti) Special Technology: Flipcore Technology

### Twin Tip



**GUNSMOKE / ガンスモーク (flat):** 8A3150 00 001

Size/R(cm/m): 179/21 186/22 193/23 SC: 140-114-130 mm(186cm) C/R: 3D Tip-Tail Rocker  
Construction: Sandwich Compound Sidewall (Isocore) Special Technology: Flipcore Technology



**PEACEMAKER / ピースメーカー (flat):** 8A3152 00 001

Size/R(cm/m): 172/17 179/19 186/21 SC: 134-104-124 mm(186cm) C/R: 3D Tip-Tail Rocker  
Construction: Sandwich Compound Sidewall (Isocore) Special Technology: Flipcore Technology

## FREE MOUNTAIN - Light & Woman

### Light



**SCOUT / スカウト (flat):** 8A3130 00 001

Size/R(cm/m): 170/25.5 177/27 185/28.5 193/29 SC: 134-108-122 mm(177cm) C/R: 3D Full Rocker  
Construction: Sandwich Compound Sidewall (Isocore) Special Technology: Flipcore Technology



**KABOOKIE / カブーキー (flat):** 8A3132 00 001

Size/R(cm/m): 166/19 173/20 180/21 187/22 SC: 133-98-118 mm(180cm) C/R: 3D Tip-Tail Rocker  
Construction: Sandwich Compound Sidewall (Isocore) Special Technology: Flipcore Technology



**BUSHWACKER / ブッシュワッカー (flat):** 8A3134 00 001

Size/R(cm/m): 159/16 166/17 173/18 180/19 187/20 SC: 125-88-110 mm(180cm) C/R: 3D Tip-Tail Rocker  
Construction: Sandwich Compound Sidewall (Isocore) Special Technology: Flipcore Technology

### Woman



**DAKOTA / ダコタ (flat):** 8A3120 00 001

Size/R(cm/m): 163/24 170/25.5 177/27 SC: 134-108-122 mm(177cm) C/R: 3D Full Rocker  
Construction: Sandwich Compound Sidewall (Isocore) Special Technology: Flipcore Technology



**SAMBA / サンバ (flat):** 8A3122 00 001

Size/R(cm/m): 152/17 159/18 166/19 173/20 SC: 131-98-116 mm(173cm) C/R: 3D Tip-Tail Rocker  
Construction: Sandwich Compound Sidewall (Isocore) Special Technology: Flipcore Technology



**BLACK PEARL / ブラックパール (flat):** 8A3124 00 001

Size/R(cm/m): 152/15 159/16 166/17 173/18 SC: 125-88-110 mm(173cm) C/R: 3D Tip-Tail Rocker  
Construction: Sandwich Compound Sidewall (Isocore) Special Technology: Flipcore Technology

## ALL MOUNTAIN - Magnum



**MAGNUM 8.0 TI SUSPENSION + POWER12:** 8A3074 D3 001

Size/R(cm/m): 158/15 165/16 172/17 179/18 SC: 122-80-107 mm(172cm) C/R: 3D Tip-Tail Rocker  
Construction: Sandwich Compound Sidewall (Ti) Special Technology: Spaceframe Technology, DuraTec



**MAGNUM 8.0 CA SUSPENSION + POWER11:** 8A3078 D5 001

Size/R(cm/m): 158/15 165/16 172/17 179/18 SC: 122-80-107 mm(172cm) C/R: 3D Tip-Tail Rocker  
Construction: Sandwich Compound Sidewall (QQ) Special Technology: Spaceframe Technology, DuraTec



**MAGNUM 7.7 TI SUSPENSION + POWER11:** 8A3082 D5 001

Size/R(cm/m): 153/15 160/16 167/17 174/18 SC: 123-77-105 mm(167cm) C/R: 3D Tip-Tail Rocker  
Construction: IQ Sandwich Composite Sidewall (Woodcore) Special Technology: 3 Matrix Technology, DuraTec



**MAGNUM 7.7 IQ + IQ-10\_CM2:** 8A3084 G1 001

Size/R(cm/m): 153/15 160/16 167/17 174/18 SC: 123-77-105 mm(167cm) C/R: 3D Tip-Tail Rocker  
Construction: IQ Sandwich Composite Sidewall (Woodcore) Special Technology: 3 Matrix Technology, DuraTec



**MAGNUM 7.3 IQ + IQ-10\_CM2:** 8A3086 G1 001

Size/R(cm/m): 153/13 160/14 167/15 174/16 SC: 120-73-104 mm(167cm) C/R: 3D Front Rocker  
Construction: IQ Sandwich Composite Sidewall Special Technology: IQ System, DuraTec

## VIVA - Woman



**VIVA 600 FULLSUSPENSION IQ + POWER11 VIVA:** 8A3060 D6 001

Size/R(cm/m): 153/14 160/15 167/16 SC: 119-72-102 mm(160cm) C/R: 3D Tip-Tail Rocker  
Construction: IQ Sandwich Composite Sidewall (Woodcore) Special Technology: 3 Matrix Technology, DuraTec



**VIVA 7.7 Ti SUSPENSION IQ + POWER11 VIVA:** 8A3062 D6 001

Size/R(cm/m): 146/14 153/15 160/16 167/17 SC: 121-77-103 mm(160cm) C/R: 3D Tip-Tail Rocker  
Construction: IQ Sandwich Composite Sidewall (Woodcore) Special Technology: 3 Matrix Technology, DuraTec



**VIVA 7.3 IQ + IQ-10\_CM2 VIVA:** 8A3212 G2 001

Size/R(cm/m): 146/12 153/13 160/14 167/15 SC: 118-73-102 mm(160cm) C/R: 3D Front Rocker  
Construction: IQ Sandwich Composite Sidewall Special Technology: IQ System, DuraTec



**VIVA 350 IQ + IQ-10\_CM2 VIVA:** 8A3066 G2 001

Size/R(cm/m): 146/12 153/13 160/14 167/15 SC: 118-73-102 mm(160cm) C/R: 3D Front Rocker  
Construction: IQ Sandwich Composite Sidewall Special Technology: IQ System, DuraTec

### ◆◆ セットビンディングの解放値について ◆◆

スキー各モデルにセットされている専用ビンディングの解放値は以下の通りです。

- POWER 12 : DIN 4 - 12
- POWER 11 / POWER 11 VIVA : DIN 3 - 11
- IQ 10\_CM2 / IQ 10\_CM2 VIVA : DIN 3 - 10
- IQ 7 (Jr用) : DIN 2 - 7
- IQ 4.5 (Jr用) : DIN 0.75 - 4.5

※解放値の設定は、必ず“S-B-Bシステム”の認定を受けた販売店にて実施してください。

# JUNIOR



**GS IQ JR+IQ-4.5:** 8A3160 H2 001  
Size/R(cm/m): 70/3 80/4 90/5 100/6 110/7 120/8 SC: 105-68-93 mm(120cm)

**GS IQ JR+IQ-7:** 8A3162 H1 001  
Size/R(cm/m): 130/9 140/11 150/13 SC: 107-68-95 mm(130cm)  
Construction: Integral Fiberglass (IQ) Special Technology: IQ Technology, DuraTec



**MAGNUM IQ JR+IQ-4.5:** 8A3164 H2 001  
Size/R(cm/m): 70/3 80/4 90/5 100/6 110/7 120/8 SC: 105-68-93 mm(120cm)

**MAGNUM IQ JR+IQ-7:** 8A3166 H1 001  
Size/R(cm/m): 130/9 140/11 150/13 SC: 107-68-95 mm(130cm)  
Construction: Integral Fiberglass (IQ) Special Technology: IQ Technology, DuraTec



**VIVA IQ JR+IQ-4.5:** 8A3168 H2 001  
Size/R(cm/m): 70/3 80/4 90/5 100/6 110/7 120/8 SC: 105-68-93 mm(120cm)

**VIVA IQ JR+IQ-7:** 8A3170 H1 001  
Size/R(cm/m): 130/9 140/11 150/13 SC: 107-68-95 mm(130cm)  
Construction: Integral Fiberglass (IQ) Special Technology: IQ Technology, DuraTec



**GUNSMOKE IQ JR+IQ-4.5:** 8A3172 H2 001  
Size/R(cm/m): 99/6 109/7 SC: 102-70-90 mm(109cm)

**GUNSMOKE IQ JR+IQ-7:** 8A3174 H1 001  
Size/R(cm/m): 119/8 129/9 139/10 SC: 104-70-92 mm(129cm)  
Construction: Integral Fiberglass (IQ) Special Technology: IQ Technology, Twin tip, DuraTec

# BINDINGS



**COMP 20.0 EPS**  
8C313400  
DIN: 11-20

**COMP 10.0 EPS**  
8C314000  
DIN: 3-10

**RACE XCELL 16.0**  
8C313600  
DIN: 6-16

**RACE XCELL 12.0**  
8C313800  
DIN: 4-12



**MARKER GRIFFON 13-110**  
8C317600  
DIN: 4-13

**MARKER JESTER 16-110**  
8C317400  
DIN: 6-16

**MARKER SQUIRE 11-90**  
8C317800  
DIN: 3-11



**MAKER BARON 13L**  
305-365 / 110mm  
8C316600  
**BARON 13S**  
265-325 / 110mm  
8C316800  
DIN: 4-13

**MAKER DUKE EPF 16L**  
305-365 / 110mm  
8C316200  
**DUKE EPF 16S**  
265-325 / 110mm  
8C316400  
DIN: 6-16

**MAKER TOUR F10 L**  
305-365 / 90mm  
8C317000  
**TOUR F10 S**  
265-325 / 90mm  
8C317200  
DIN: 3-10

**MAKER TOUR F12 L**  
305-365 / 90mm  
8C318800  
DIN: 3-10

## Technologies



ブリザード・スキーの基幹テクノロジー。スキーとビンディングを統合することで、スキー本来のフレックスを損なうことなく、パワーの伝達性にも優れたシステム。軽量化にも寄与します。



滑走中の不要な振動を制御するためのピストン式オイルダンパーをメインとしたシステム。プレート内にダンパーを搭載した「サスペンション」、カーボン・パワー・プースターと組み合わせた「フルサスペンション」の2種類を、モデル毎の特性に合わせてチューニングしています。



ウッドコアの形状自体を見直し、従来のスキーとはまったく逆に設計。スキー全体がより自然なロッカー形状を描くことで、優れた面圧分布特性と安定性を発揮。パウダースノーにおける抜群の浮力と操作性をもたらします。



スキーの補強材を、単なるシート形状ではなく、立体的に成型したものを採用。スウィング・ウェイトの軽量化とスキー全体のバランス向上を実現し、優れた滑走性能を提供します。



スキー設計に関する最新テクノロジー。スキー形状(=サイドカットやプロファイル)の設計時に、コンピュータによる3D解析を導入。3Dシェイプ、3Dロッカー、3Dサイドカットの組み合わせで、モデル特性に合わせた最高のパフォーマンスを実現しています。



トップ&テール部のプロテクターの形状を最適化し、衝撃などへの耐久性を向上。また、素材の変更と同時に、凹凸のある成型とすることで、スクラッチ傷などを軽減するトップシートを採用するなど、スキー本来の美しさを長期間に渡ってキープするための配慮が随所に施されています。

**株式会社テクニカグループジャパン**  
テクニカ・ブリザード事業部  
〒113-0033 東京都文京区本郷1-28-10 本郷TKビル3F  
Phone: 03-5802-6282 Fax: 03-5802-6278  
※このカタログ記載の内容は、2013年5月現在のものです。  
※商品の仕様/デザイン等は、都合により予告なく変更される場合がございますので、予めご了承ください。  
※実際の商品のカラーと若干異なって見える場合がございます。



**TECNICA**

DESIGNED TO PERFORM



**SKIBOOTS**

collection 2013 - 2014

# FREE MOUNTAIN



**COCHISE LIGHT PRO DYN / コーチス・ライト・プロ**  
101631 00 051  
Size: 23.5-28.5cm(1.0cm) FLEX 120 LAST 100  
Palau, IFS



## INTELLIGENT FREEMOUNTAIN SYSTEM



● Mobility Cuff / モビリティ・カフ  
アッパー・カフのフリーとロックが  
ワンタッチで切り替え可能



● インターチェンジابل・フットプリント  
ハイク用とアルペン用のソール交換が可能



● TRIAXシェル  
一般的なシェル素材に比べ、  
約20%軽量の素材を採用



**COCHISE 130 PRO 98MM**  
コーチス130プロ  
101632 00 051  
Size: 24.5-28.5cm(1.0cm)  
FLEX 130 LAST 98  
Ultrafit Pro, IFS



**COCHISE 120**  
コーチス120  
101633 00 051  
Size: 23.5-28.5cm(1.0cm)  
FLEX 120 LAST 100  
Ultrafit Pro, IFS, Quick Instep



**COCHISE 110**  
コーチス110  
101634 00 051  
Size: 24.5-28.5cm(1.0cm)  
FLEX 110 LAST 100  
Ultrafit, IFS, Quick Instep



**COCHISE 105 W**  
コーチス105W  
201368 00 051  
Size: 22.5-25.5cm(1.0cm)  
FLEX 105 LAST 98  
Ultrafit, IFS, Quick Instep



**COCHISE 90**  
コーチス90  
101635 00 051  
Size: 24.5-28.5cm(1.0cm)  
FLEX 90 LAST 100  
Ultrafit, IFS, Quick Instep



**COCHISE 90 W**  
コーチス90W  
201369 00 051  
Size: 22.5-25.5cm(1.0cm)  
FLEX 90 LAST 100  
Ultrafit, IFS, Quick Instep

# SPORT PERFORMANCE - MAGNUM



**MAGNUM 110 / マグナム110**  
101638 00 051  
Size: 24.5-28.5cm(1.0cm)  
FLEX 110 LAST 102  
Ultrafit, Mobility Cuff



**MAGNUM 90 / マグナム90**  
101639 00 051  
Size: 24.5-28.5cm(1.0cm)  
FLEX 90 LAST 102  
Ultrafit, Mobility Cuff



**MAGNUM 85 W / マグナム85W**  
201373 00 051  
Size: 22.5-25.5cm(1.0cm)  
FLEX 85 LAST 102  
Ultrafit + Wool, Mobility Cuff



**MAGNUM 80 / マグナム80**  
101640 00 051  
Size: 24.5-28.5cm(1.0cm)  
FLEX 80 LAST 102  
Ultrafit, Mobility Cuff



**MAGNUM 75 W / マグナム75W**  
201374 00 051  
Size: 22.5-25.5cm(1.0cm)  
FLEX 75 LAST 102  
Ultrafit + Wool, Mobility Cuff

## RACING



**R9.3 150**  
101600 00 051  
Size: 3-10 UK(1.0cm) FLEX 150 LAST 93  
Racing (Laced)

※選手用限定モデル<ISO5355 適合外>  
シェル(ソール部)のコバ加工が必要な商品のため、  
対応可能店舗での限定販売となります。



**R9.3 130**  
101601 00 051  
Size: 3-10 UK(1.0cm) FLEX 130 LAST 93  
Racing (Laced)

※選手用限定モデル<ISO5355 適合外>  
シェル(ソール部)のコバ加工が必要な商品のため、  
対応可能店舗での限定販売となります。



**R9.8 130**  
101604 00 051  
Size: 3, 3½-10½ UK(1.0cm)  
FLEX 130 LAST 98  
Ultrafit Pro Race, Quick Instep



**R9.8 110**  
101605 00 051  
Size: 3, 3½-10½ UK(1.0cm)  
FLEX 110 LAST 98  
Ultrafit Pro, Quick Instep



**R9.5 110**  
101606 00 051  
Size: 3, 3½-10½ UK(1.0cm)  
FLEX 110 LAST 95  
Ultrafit Pro



**R9.5 90**  
301256 00 051  
Size: 3, 3½-8½ UK(1.0cm)  
FLEX 90 LAST 95  
Ultrafit

### Size Table

UK表記	3	3½	4½	5½	6½	7½	8½	9½	10½
MP[cm] 換算	22.0	22.5	23.5	24.5	25.5	26.5	27.5	28.5	29.5

## HIGH PERFORMANCE



**DEMON 130**  
101611 00 051  
Size: 24.5-28.5cm(1.0cm)  
FLEX 130 LAST 100  
Ultrafit Pro, Power Chassis,  
I-Rebound, Quick Instep



**DEMON 120**  
101612 00 051  
Size: 24.5-28.5cm(1.0cm)  
FLEX 120 LAST 100  
Ultrafit Pro, Power Chassis,  
I-Rebound, Quick Instep



**DEMON 110**  
101613 00 051  
Size: 24.5-28.5cm(1.0cm)  
FLEX 110 LAST 100  
Ultrafit Pro,  
I-Rebound, Quick Instep



**DEMON 105W**  
201355 00 051  
Size: 22.5-25.5cm(1.0cm)  
FLEX 105 LAST 100  
Ultrafit, Quick Instep



**DEMON 100**  
101614 00 051  
Size: 24.5-28.5cm(1.0cm)  
FLEX 100 LAST 100  
Ultrafit, Quick Instep



**DEMON 95W**  
201356 00 051  
Size: 22.5-25.5cm(1.0cm)  
FLEX 95 LAST 100  
Ultrafit, Quick Instep



## SPORT PERFORMANCE - TEN.2



**TEN.2 100**  
101621 00 051  
Size: 24.5-28.5cm(1.0cm)  
FLEX 100 LAST 102  
Ultrafit, I-Rebound,  
Quick Instep MAX



**TEN.2 90**  
101623 00 051  
Size: 24.5-28.5cm(1.0cm)  
FLEX 90 LAST 102  
Ultrafit, I-Rebound,  
Quick Instep MAX



**TEN.2 80**  
101625 00 051  
Size: 24.5-28.5cm(1.0cm)  
FLEX 80 LAST 102  
Ultrafit, I-Rebound,  
Quick Instep MAX



**TEN.2 95 W**  
201360 00 051  
Size: 22.5-25.5cm(1.0cm)  
FLEX 95 LAST 102  
Ultrafit + Wool, I-Rebound,



**TEN.2 85 W**  
201362 00 051  
Size: 22.5-25.5cm(1.0cm)  
FLEX 85 LAST 102  
Ultrafit + Light Wool,  
I-Rebound, Quick Instep MAX

## JUNIOR



**R PRO 70**  
301257 00 051  
Size: 18.5-25.5cm(1.0cm)  
FLEX 70 Junior Pro



**R PRO 60**  
301258 00 051  
Size: 18.5-25.5cm(1.0cm)  
FLEX 60 Junior Pro



**BODACIOUS PRO JR**  
ボーディッシュ・プロ・ジュニア  
301259 00 051  
Size: 18.5-25.5cm(1.0cm)  
FLEX 60 Junior Pro Comfort



**JT 3 COCHISE:** 301271 00 051  
Size: 20.5-25.5cm(1.0cm)  
Jr. Comfort



**JT 2 COCHISE:** 301266 00 051  
Size: 16.5-24.5cm(1.0cm)  
Jr. Comfort



**JT 1 COCHISE:** 301261 00 051  
Size: 14.5-19.5cm(1.0cm)  
Jr. Comfort



**JT 3:** 301272 00 051  
Size: 20.5-25.5cm(1.0cm)  
Jr. Comfort



**JT 2:** 301267 00 051  
Size: 16.5-24.5cm(1.0cm)  
Jr. Comfort



**JT 1:** 301262 00 051  
Size: 14.5-19.5cm(1.0cm)  
Jr. Comfort

### Technologies



インナーブーツを構成する素材を4層構造にし、それぞれの層が担う役割に応じた素材を採用。モデル毎の特性に合わせ、最高のフィット感を提供します。「Ultrafit Pro」は、快適性を備えつつも、より操作性を重視したタイプ。「Ultrafit」は、快適性と操作性のバランスに優れたタイプです。  
※ジュニア用と一部のレースモデルを除いた全モデルに採用



フリーマウンテンモデルに搭載された画期的なシステム。「ハイクアップ（歩行）」と「ライディング（滑走）」という異なるニーズに応えられるよう、様々な機能を採用しています。



ソールの全長をカバーするカーボンスチール製のプレートをソール底部に搭載。ブーツのねじれ剛性を約20%向上させることで、パワー伝達性に優れ、狙ったラインを正確にトレースすることが出来ます。



主にブーツ後部のサポート性をアップすることで、フレックスとリバウンド性のバランスに優れた特性を発揮。上級者のダイナミックな滑りを支えます。



ロアセルの内側上部に、部分的にソフトな素材を一体成型。ブーツ全体の剛性は損なわずに、着脱時の足への負担を軽減します。



クイックインステップのシステムを応用。ロアセル内側にヒンジ付きの可動エリアを採用。開口部がより大きくなるため、ブーツの着脱が容易におこなえるようになり、快適性が一段とアップします。

# Accessories



## RACER BACKPACK

422342 00 001

Size: 40x60x26(+10)cm  
40(+15)L



## MAGNUM BOOT BACKPACK

422344 00 001

Size: 39x40x38cm / 55L



## PROMO BOOT BAG

422346 00 001

Size: 34x40x38cm / 40L



## PROMO SINGLE SKI BAG

422348 00 001

Size: 180(210)x23x19cm



## 株式会社テクニカグループジャパン テクニカ・ブリザード事業部

〒113-0033 東京都文京区本郷1-28-10 本郷TKビル3F  
Phone: 03-5802-6282 Fax: 03-5802-6278

※このカタログ記載の内容は、2013年5月現在のものです。  
※商品の仕様/デザイン等は、都合により予告無く変更される場合がございますので、予めご了承ください。  
※実際の商品のカラーと若干異なって見える場合がございます。

# 2013-14 PRICE LIST

## BLIZZARD SKI & BINDING

シリーズ	モデル	セットビンディング	価格
RACING	GS FIS RACING(FLAT)	COMP 20.0 EPS	¥170,100
		RACE XCELL 16.0	¥158,550
		RACE XCELL 12.0	¥152,250
	SL FIS RACING (FLAT)	COMP 20.0 EPS	¥159,600
		RACE XCELL 16.0	¥148,050
		RACE XCELL 12.0	¥141,750
	WRC RACE WC PISTON PLATE	COMP 20.0 EPS	¥149,100
		RACE XCELL 16.0	¥137,550
		RACE XCELL 12.0	¥131,250
	WRC RACING SUSPENSION	POWER 12	¥120,750
	SRC RACING SUSPENSION	POWER 12	¥120,750
	RCS ARCING SUSPENSION	POWER 11	¥102,900
	SCS RACING SUSPENSION	POWER 11	¥102,900
	GS FIS JR RACING(FLAT) 170,176cm	COMP 10.0 EPS	¥90,300
SL FIS JR RACING(FLAT) 150cm	COMP 10.0 EPS	¥90,300	
GS JR RACING(FLAT)135~163cm	COMP 10.0 EPS	¥69,300	
SL JR RACING(FLAT)122~143cm	COMP 10.0 EPS	¥69,300	
HIGH PERFORMANCE <POWER>	G-POWER FULLSUSPENSION IQ	POWER 12	¥124,950
	R-POWER FULLSUSPENSION IQ	POWER 12	¥124,950
	S-POWER FULLSUSPENSION IQ	POWER 12	¥124,950
	POWER 800 SUSPENSION IQ	POWER 12	¥114,450
	POWER 700 SUSPENSION IQ	POWER 12	¥103,950
	POWER 600 FULLSUSPENSION IQ	POWER 11	¥93,450
	POWER 500 SUSPENSION IQ	POWER 11	¥77,700
POWER 400 IQ	IQ-10 CM2	¥60,900	
ALL MOUNTAIN <MAGNUM>	MAGNUM 8.0 TI SUSPENSION	POWER 12	¥93,450
	MAGNUM 8.0 CA SUSPENSION	POWER 11	¥89,250
	MAGNUM 7.7 TI SUSPENSION	POWER 11	¥76,650
	MAGNUM 7.7 IQ	IQ 10 CM2	¥60,900
MAGNUM 7.3 IQ	IQ 10 CM2	¥50,400	
WOMAN <VIVA>	VIVA 600 FULLSUSPENSION IQ	POWER 11 VIVA	¥93,450
	VIVA 7.7 TI SUSPENSION IQ	POWER 11 VIVA	¥79,800
	VIVA 350 IQ	IQ-10 CM2 VIVA	¥63,000
	VIVA 7.3 IQ	IQ-10 CM2 VIVA	¥51,450
FREEMOUNTAIN RIDE	BODACIOUS(ボーディシヤス)	---	¥88,200
	COCHISE (コーチス)	---	¥77,700
	BONAFIDE (ボナファイド)	---	¥67,200
	BRAHMA(ブラフマー)	---	¥67,200
FREEMOUNTAIN LIGHT	SCOUT(スカウト)	---	¥67,200
	KABOOKIE(カブキー)	---	¥61,950
	BUSHWACKER (ブッシュワッカー)	---	¥51,450
FREEMOUNTAIN TWIN TIP	GUNSMOKE (ガンスモーク)	---	¥77,700
	PEACEMAKER(ピースメーカー)	---	¥72,450
FREEMOUNTAIN WOMAN	DAKOTA (ダコタ)	---	¥77,700
	SAMBA (サンバ)	---	¥61,950
	BLACK PEARL (ブラックパール)	---	¥51,450
JUNIOR	GS IQ JR(70-120cm)	IQ4.5	¥27,300
	GS IQ JR(130-150cm)	IQ7.0	¥27,300
	MAGNUM IQ JR(70-120cm)	IQ4.5	¥27,300
	MAGNUM IQ JR(130-150cm)	IQ7.0	¥27,300
	VIVA IQ JR(70-120cm)	IQ4.5	¥27,300
	VIVA IQ JR(130-150cm)	IQ7.0	¥27,300
	GUNSMOKE IQ JR(99-109cm)	IQ4.5	¥27,300
	GUNSMOKE IQ JR(119-139cm)	IQ7.0	¥27,300

## TECNICA SKIBOOT

シリーズ	モデル	価格
FREE MOUNTAIN	COCHISE LIGHT PRO DYN	¥82,950
	COCHISE 130 PRO 98mm	¥79,800
	COCHISE 120	¥71,400
	COCHISE 110	¥63,000
	COCHISE 90	¥47,250
	COCHISE 105 W	¥60,900
	COCHISE W90	¥47,250
RACING	R9.3 150	¥94,500
	R9.3 130	¥92,400
	R9.8 130	¥78,750
	R9.8 110	¥68,250
	R9.5 110	¥68,250
	R9.5 90 (UK3~8)	¥51,450
HIGH PERFORMANCE <DEMON>	DEMON 130	¥78,750
	DEMON 120	¥68,250
	DEMON 110	¥63,000
	DEMON 105W	¥60,900
	DEMON 100	¥56,700
DEMON 95 W	¥52,500	
SPORTS PERFORMANCE <MAGNUM>	MAGNUM 110	¥44,100
	MAGNUM 90	¥33,600
	MAGNUM 80	¥29,400
	MAGNUM 85 W	¥33,600
	MAGNUM 75 W	¥29,400
SPORT PERFORMANCE <TEN.2>	TEN.2 100	¥45,150
	TEN.2 90	¥36,750
	TEN.2 80	¥31,500
	TEN.2 95 W	¥45,150
	TEN.2 85 W	¥36,750
JUNIOR	R9.5 90 (UK2のみ)	¥51,450
	R PRO 70	¥36,750
	R PRO 60	¥26,250
	BODACIOUS PRO JR	¥31,500
	JT3 COCHISE & JT3 (3バックル)	¥15,750
	JT2 COCHISE & JT2 (2バックル)	¥11,550
JT1 COCHISE & JT1 (1バックル)	¥9,450	
FREE MOUNTAIN PARTS	INTERCHANGEABLE FOOTPRINT ISO9523 DYN	¥8,925
	INTERCHANGEABLE FOOTPRINT ISO5355 ALP	¥3,675

## ACCESSORIES

商品名	サイズ (cm)	価格
RACER BACKPACK (40+15ℓ)	40 × 60 × 26(+10)	¥10,500
MAGNUM BOOT BACKPACK (55ℓ)	39 × 40 × 38	¥6,300
PROMO BOOT BAG (40ℓ)	34 × 40 × 38	¥4,200
PROMO SINGLE SKI BAG	180(210) × 23 × 19	¥7,140

\* 表示価格はいずれもメーカー希望小売価格(税込)になります。  
\* 記載の内容は2013年5月現在のものです。なお、価格等は都合により、予告無く変更される場合もございますのでご了承ください。